

ANNUAL INDEX

VOLUME 9

1974

AUTHORS

A

- Abley, P. See D. E. Minnikin
Abraham, S. See G. Ananda Rao
— See Hiroaki Tanioka
Ackman, R. G. Short communication re myocardial alterations resulting from feeding partially hydrogenated marine oils and peanut oil to rats, 1032
Aftergood, L. and R. B. Alfin-Slater. Oral contraceptive α -tocopherol interrelationships, 91
Agrawal, V. P. See P. E. Kolattukudy
Ahern, David G. and Donald T. Downing. Skin lipids of the Florida indigo snake, 8
Akeda, Shozo. See Kazuo Kasama
Albers, John J. and William R. Hazzard. Immunochemical quantification of human plasma Lp(a) lipoprotein, 15
Alfin-Slater, R. B. See L. Aftergood
Alm, W. L. See R. J. Wargel
Aloia, Roland C., Eric T. Pengelley, James L. Bolen and George Rouser. Changes in phospholipid composition in hibernating ground squirrel, *Citellus lateralis*, and their relationships to membrane function at reduced temperatures, 993
Andersen, Dean W. See L. J. Filer, Jr.
Anderson, L. E. See T. K. Yang
Anderson, Thomas A. See L. J. Filer, Jr.
Anderson, Wayne H. See Bengt A. Andersson
— See Joanne L. Gellerman
Andersson, Bengt A., Wayne H. Anderson, Jacques R. Chipault, Eldon C. Ellison, Stuart W. Fenton, Joanne L. Gellerman, John M. Hawkins and Hermann Schlenk. 9,12,15-Octadecatrien-6-ynoic acid, new acetylenic acid from mosses, 506
— W. H. Heimermann and R. T. Holman. Comparison of pyrrolidines with other amides for mass spectral determination of structure of unsaturated fatty acids, 443
— and Ralph T. Holman. Pyrrolidines for mass spectrometric determination of the position of the double bond in monounsaturated fatty acids, 185
Araki, Eiji, F. Phillips and O. S. Privett. Studies on lipid and fatty acid composition of human hepatoma tissue, 707
Atallah, A. M. and H. J. Nicholas. Function of sterol esters in plants: A hypothesis that liquid crystalline properties of some sterol esters may be significant in plant sterol metabolism, 613

B

- Bach, A., P. Metais, D. Guisard and D. Debry. Metabolic effects following medium chain triglycerides load in dogs: IV. Influence of administration of methylene blue, 781
Badran, Mohga M. See Ibrahim R. Shim
Baer, Erich. Letter to the editor re alleged role of boric acid in detritylation of diglyceride- α -trityl ethers by silicic acid, 633
Baker, N. and L. Wilson. UV-autoxidized linolenic acid in high yield for cancer study, 346
Barassi, C. A. and N. G. Bazán. Fatty acid distribution in lipids and $\alpha\beta$ incorporation into phospholipids during early amphibian development, 27
Barbier, F. See J. Paris
Bazán, N. G. See C. A. Barassi
Beare-Rogers, J. L. and E. A. Nera. Effects of dietary docosenoic acid upon rats in cold, 365
Beke, R. See J. Paris
Benzonana, Gilbert. Some properties of an exocellular lipase from *Rhizopus arrhizus*, 166
Bernsohn, Joseph. See Steven R. Cohen
Bertoli, E. See G. Parenti-Castelli
Bieri, J. G. See R. Poukka Everts
Binaglia, L., R. Roberti, G. Goracci, E. Francescangeli and G. Porcellati. Enzymic synthesis of ethanolamine plasmalogens through ethanolaminephosphotransferase

activity in neurons and glial cells of rabbit in vitro, 738

- Black, Homer S., J. Scott Jones and Wan-Bang Lo. Short communication re metabolism of actinic skin tumors: Incorporation of ^{14}C -acetate into lipids, 292
Blomberg, Jonas. Unusual lipids II: Head oil of the North Atlantic pilot whale, *Globicephala melaina melena*, 461
Blomstrand, Rolf and Lennart Svensson. Studies on phospholipids with particular reference to cardiolipin of rat heart after feeding rapeseed oil, 771
Bojesen, Inge. Unusual lipid droplets from interstitial cells in renal papillae from various species, 835
Bolen, James L. See Roland C. Aloia
Brewington, C. R. See J. L. Weihrauch
Brokerhoff, H. Model of interaction of polar lipids, cholesterol, and proteins in biological membranes, 645
Brooks, P. See W. R. H. Duncan
Brooks, P. J. See M. S. Liu
Brown, K. S. Letter to the editor re concerning an analysis of mortality rates, 217
Brunngraber, Eric G. and Vincent A. Ziboh. Short communication re free and protein-bound gangliosides in Triton X-100 extracts from rat brain, 641
Buchnea, Dmytro. Short communication re detritylation by silicic acid boric acid column chromatography, 55
— See N. H. Morley
Burns, V. M. See V. G. Malashet
Butterfield, Arthur B. See Jacqueline Dupont

C

- Calvert, G. D. and P. J. Scott. Short communication re slow exchange of erythrocyte and plasma phospholipids, 214
Campbell, J. M., R. B. Caton and D. N. Crozier. Complex formation and reversible oxygenation of free fatty acids, 916
Carpenter, Mary P. Prostaglandins of rat testis, 397
Caenser, Charles. See Barry N. Lutsky
Caton, R. B. See J. M. Campbell
Ceneelli, Richard J., William G. Crothamal and Henry F. Mengoli. Intestinal versus hepatic contribution to circulating triglyceride levels, 35
— and Bernard J. Imrich. Lipolytic activities of intact Walker 256 ascites tumor cells, 338
Chan, J. T. See G. W. Patterson
Chiappe, L. E., M. E. DeTomás and O. Mercuri. Short communication re in vitro activity of $\Delta 6$ and $\Delta 9$ desaturases in hepatomas of different growth rates, 489
— Osvaldo Mercuri and Maria Elena DeTomás. Short communication re in vitro desaturation of 1^{-14}C linoleic acid in Novikoff hepatoma, 360
Chipault, Jacques R. See Bengt A. Andersson
Chodsky, Sergei V. See Arthur F. Rosenthal
Christie, W. W. Biosynthesis of triglycerides in freshly secreted milk from goats, 876
— J. H. Moore and J. J. Gottenbos. Effect of dietary saturated fatty acids and linoleic acid upon the structures of triglycerides in rabbit tissues, 201
Christophe, A. See A. Lagrou
Clow, Duane J. See Jacqueline Dupont
Cohen, B. I., R. F. Raicht and E. H. Mosbach. Effect of dietary bile acids, cholesterol, and β -sitosterol upon formation of coprostanol and 7-dehydroxylation of bile acids by rat, 1024
Cohen, C. F. See L. B. Tsai
Cohen, Steven R. and Joseph Bernsohn. Differential trypsin effect upon (1^{-14}C) acetate incorporation into choline and ethanolamine glycerophosphatides of rat brain and liver, 72
Conner, Robert L., Kim-Eng Koo and J. R. Landrey. Isovaleric acid as a precursor of odd numbered iso fatty acids in *Tetrahymena*, 554

Cronholm, Tomas, Kurt Einarsson and Jan-Ake Gustafsson. Changes in *in vivo* metabolism of bile acids in rat after treatment with phenobarbital, 844
 Crouthamel, William G. See Richard J. Cenedella
 Crozier, D. N. See I. M. Campbell
 Czechanska, Zofia. See R. P. Hansen

D

Davis, Marsha L. See Arvan L. Fluharty
 Davison, A. N. See Robert B. Ramsey
 Dehry, D. See A. Bach
 Demeyer, D. I., W. C. Tan and O. S. Privett. Effect of essential fatty acid deficiency on lipid metabolism in isolated fat cells of epididymal fat pads of rats, 1
 Denton, J. E., M. K. Yousef, I. M. Yousef and A. Kuksis. Bile acid composition of rainbow trout, *Salmo gairdneri*, 945
 DeTomás, M. E. See L. E. Chiappe
 De Weerd, G. A. See J. Parjis
 Dickson, L. G. See G. W. Patterson
 Dierick, W. See A. Lagrou
 Domingo, N. See G. Nalbone
 Doussat, N. and L. Douste-Blazy. In vitro incorporation of ^{14}C nonanal-9-oic acid into plasma and human red blood cells lipids, 512
 Douste-Blazy, L. See N. Doussat
 Downing, Donald T. See David G. Ahern
 Doyle, P. J. See G. W. Patterson
 Duncan, J. See S. Safe
 Duncan, W. R. H., A. K. Lough, G. A. Garton and P. Brooks. Characterization of branched chain fatty acids from subcutaneous triglycerides of barley-fed lambs, 669
 Dupont, Jacqueline. Letter to the editor re reply to K. S. Brown, 218
 — Suk-Yon Oh, Louise A. O'Dean and Sigmund Geller. Short communication re cholic acid (bile) acids in hepatic and nonhepatic tissues of miniature swine, 294
 — Suk-Yon Oh, Louise O'Dean, Mary Anne McClellan, William V. Lumb, Arthur B. Butterfield and Duane J. Clow. Cholesterol and bile acid turnover in miniature swine, 717
 Dutky, S. R. See H. N. Nigg
 Dutton, H. J. See E. A. Emken

E

Eckhardt, Allen E. See R. L. Glass
 Egwin, Peter O. and F. A. Kummerow. Modification of *in vitro* rat adrenal corticosteroidogenesis by dietary fat, 191
 Einarsson, Kurt. See Tomas Cronholm
 Elseie, T. A. See J. E. Nixon
 Eiden, T. C. See J. A. Svoboda
 Ellison, Eldon C. See Bengt A. Andersson
 Emken, E. A. and H. J. Dutton. Sequential gas chromatographic procedure for microanalysis of monoenic double bond position in hydrogenated oils, 272
 Evaris, R. Poukka and J. G. Bieri. Ratios of polyunsaturated fatty acids to α -tocopherol in tissues of rats fed corn or soybean oils, 860

F

Falch, John. See Randall Wood
 Fallat, Ronald and Charles J. Glueck. Effects of anabolic and progestational agents upon triglycerides and triglyceride kinetics in normals and hyperlipemic patients, 117
 Fenton, Stuart W. See Bengt A. Andersson
 Ferretti, Aldo. See Vincent P. Flanigan
 Filer, L. J., Jr., Samuel J. Fomon, Thomas A. Anderson, Thomas L. Nixt and Dean W. Andersen. Effects of age, sex, and diet upon carcass and liver fatty acid composition of Pitman-Moore miniature pigs, 538
 Fisher, M. M. See I. M. Yousef
 — V. M. Price, R. J. Magnusson and I. M. Yousef. Bile acid metabolism in mammals: VII. Studies on sex differences in deoxycholic acid metabolism in isolated perfused rat liver, 786
 Flanigan, Vincent P., Aldo Ferretti and John M. Ruth. Characterization of two steroidoleins in nonfat dry milk, 471
 Fluharty, Arvan L., Marsha L. Davis, Hayato Kihara and Gene Kritchevsky. Simplified procedure for preparation of ^{35}S -labeled brain sulfate, 865
 Fomon, Samuel J. See L. J. Filer, Jr.
 Francescangeli, E. See L. Binaglia

G

Galli, C. and C. Spagnuolo. Short communication re essential fatty acids in maternal diet and in rat milk phospholipids, 1030
 Gardner, H. W., R. Kleiman and D. Weissleder. Homolytic decomposition of linoleic acid hydroperoxide: Identification of fatty acid products, 696
 Garfinkel, A. S. See P. Nilsson-Ehle
 Garton, G. A. See W. R. H. Duncan
 Geaison, R. L., A. L. Flanagan and S. E. Kornguth. Total glycerophospholipid fatty acid and phospholipid class composition of nerve ending and related fractions from fetal and adult pig cerebellum and adult pig whole brain cortex, 756
 Geller, Sigmund. See Jacqueline Dupont
 Gellerman, Joanne L. See Bengt A. Andersson
 — Wayne H. Anderson and Hermann Schlenk. Biosynthesis of anacardic acids from acetate in *Ginkgo biloba*, 722
 Gelman, Rose A. See William F. Naccarato
 Gilbertson, John R. See William F. Naccarato
 Glass, R. L. See L. Binaglia
 — New series of fatty acids in Northern Pike (*Esox lucius*), 1004
 Glueck, Charles J. See Ronald Fallat
 Go, J. See G. Y. Sun
 Goad, L. J., J. R. Lenton, F. F. Knapp and T. W. Goodwin. Phytosterol side chain biosynthesis, 592
 Goodwin, T. W. See L. J. Goad
 Goracci, G. See L. Binaglia
 Gottenbos, J. J. See W. W. Christie
 Gross, M. J. and J. E. Kinsella. Properties of palmityl-CoA: $\text{L}-\alpha$ -glycerophosphate acyl transferase from bovine mammary microsomes, 905
 Guarneri, Michael. Reaction of cardiolipin and phosphatidylinositol antisera with phospholipid antigens, 692
 Guisard, D. See A. Bach
 Gustafsson, Jan-Ake. See Tomas Cronholm
 Gutfinger, Tamar and A. Letan. Studies of unsaponifiables in several vegetable oils, 658

H

Hajra, Amiya K. On extraction of acyl and alkyl dihydroxyacetone phosphate from incubation mixtures, 502
 Haley, James E. and R. Cecil Jack. Stereospecific analysis of triglycerides and major phosphoglycerides from *Lipomyces lipoferus*, 679
 Hamilton, James G. See Ann C. Sullivan
 Hansen, R. P. and Zofia Czechanska. Letter to the editor re occurrence of triglycerides in earthworms, 363
 — and Zofia Czechanska. Short communication re earthworms: Occurrence of phytanic, pristanic and 4,8,12-trimethyltridecanoic acids, 825
 Hansma, Helen and Rosemarie Ostwald. Effects of dietary cholesterol upon bile acid metabolism in guinea pig, 731
 Hardjo, Sudah. See Lloyd M. Smith
 Harwood, J. L. Fatty acid biosynthesis by avocado pear, 850
 Hauton, J. See G. Nalbone
 Hawkins, John M. See Bengt A. Andersson
 Hazzard, William R. See John J. Albers
 Heftmann, Erich. Recent progress in the biochemistry of plant steroids other than sterols (sapogenins, givcoalkaloids, pregnane derivatives, cardiac glycosides, and sex hormones), 626
 Heimermann, W. H. See Bengt A. Andersson
 Hoffman, L. L. See A. P. Tulloch
 Holloway, Caroline T. and P. W. Holloway. Lipid products formed during desaturation of [^{14}C] stearyl CoA by hen liver microsomes, 196
 Holloway, P. W. See Caroline T. Holloway
 Holman, R. T. See Bengt A. Andersson
 Horbar, Jeffrey. See Hubert S. Mickel
 Hsiao, C. Y. Y., C. A. Ottaway and D. B. Wetlauer. Preparation of fully deuterated fatty acids by simple method, 913

I

Ihrig, Thomas. See Robert J. Morin
 Imrich, Bernard J. See Richard J. Cenedella
 Infante, J. P. See J. E. Kinsella
 Ito, Masami. See Nozomu Takeuchi
 Itoh, Toshihiro. See Tae Myoung Jeong
 — Toshitake Tamura and Taro Matsumoto. Sterols, methylsterols, and triterpene alcohols in three *Theaceae* and some other vegetable oils, 173

J

- Jack, R. Cecil. See James E. Haley
 — See Zoltan Kish
 Jefferts, Elaine, Reginald W. Morales and Carter Litchfield. Occurrence of *cis*-5, *cis*-9-hexacosadienoic and *cis*-5, *cis*-9, *cis*-19-hexacosatrienoic acids in the marine sponge *Microciona prolifera*, 244
 Jenkins, H. M. See T. K. Yang
 Jensen, Robert G. Characteristics of the lipase from the mold, *Geotrichum candidum*: A review, 149
 — See Robert E. Pitas
 Jeong, Tae Myoung, Toshihiro Itoh, Toshitake Tamura and Taro Matsumoto. Analysis of sterol fractions from twenty vegetable oils, 921
 Johns, Elizabeth B. See Harold E. Pattee
 Johnson, Owe. Short communication re effect of ethanol on liver triglyceride concentration in fed and fasted rats, 57
 Johnson, Ronald C. and Shantilal N. Shah. Hepatic cholesterol synthesis from mevalonate and squalene in rats: Effect of feeding cholesterol supplemented diet during weaning and following starvation, 962
 Jones, J. Scott. See Homer S. Black

K

- Kakis, G. See I. M. Yousef
 Kako, K. Joe. See M. S. Liu
 Kamel, Mandoud Y. See Ibrahim R. Shimi
 Kaplanis, J. N. See H. N. Nigg
 Karli, Joanna A. and Gabriel M. Levis. Glycosphingolipids of human thyroid, 819
 Kasama, Kazuo, Katsumi Yoshida, Susumu Takeda, Shozo Akeda and Kazuo Kawai. Bis-(monoacylglycerol) phosphate and acyl phosphatidylglycerol isolated from human livers of lipidosis induced by 4,4'-diethylaminoethoxyhexesterol, 235
 Kates, M. See T. G. Tornabene
 Katyal, S. L. and B. Lombardi. Quantitation of phosphatidyl N-methyl and N,N-dimethyl aminoethanol in liver and lung of N-methylaminoethanol fed rats, 81
 Kawai, Kazuo. See Kazuo Kasama
 Kase-Elias, M. See G. M. Lewis
 Kihara, Hayato. See Arvan L. Fluhray
 Kinsella, J. E. See M. J. Gross
 — and J. P. Infante. Acyl-CoA acyl-an-glycerol-3 phosphorylcholine acyl transferase of bovine mammary tissue, 748
 Kircher, Henry W. A facile synthesis of ergostanol, 625
 — Improved synthesis of 7-dehydrostosterol, 623
 — and Fumiko U. Rosenstein. Purification of camposterol and preparation of 7-dehydrocampesterol, 7-campestenol and campestanol, 333
 Kish, Zoltan and R. Cecil Jack. Phospholipids of two strains of dermatophyte, *Arthroderma uncinatum*, 264
 Kleiman, R. See H. W. Gardner
 — See Roger W. Miller
 Klein, P. D. See L. B. Tsai
 Klingman, J. D. See D. T. Organisciak
 Knapp, F. F. See L. J. Goad
 Koes, Mary, Tom Ward and Sam Pennington. Lipid peroxidation in chronic ethanol treated rats: In vitro uncoupling of peroxidation from reduced nicotinamide adenine dinucleotide phosphate oxidation, 899
 Kolattukudy, P. E. and V. P. Agrawal. Structure and composition of aliphatic constituents of potato tuber skin (spherulin), 682
 — and W. N. Sawaya. Short communication re age dependent structural changes in the diol esters of uropygial glands of chicken, 290
 Koo, Kim-Eng. See Robert L. Conner
 Kornguth, S. E. See R. L. Geison
 Koziol, Patricia. See Barry N. Lutsky
 Krick, Thomas P. See R. L. Glass
 Kritchevsky, David. New drugs affecting lipid metabolism, 97
 Kritchevsky, Gene. See Arvan L. Fluhray
 Kuksis, A. See J. E. Denton
 — See N. H. Morley
 — See J. J. Myher
 Kummerow, F. A. See Peter O. Egwim
 Kusamran, K. See D. E. Minninkin

L

- Lafont, H. See G. Nalbone
 Lagrou, A. W. Dierick, A. Christophe and G. Verdonk. Lipid composition of normal and hypertrophic bovine thyroids, 870

- Lairon, D. See G. Nalbone
 Landrey, J. R. See Robert L. Conner
 LaRose, J. A. G. See Mary E. McKilligan
 Laster, John L. See John D. Weete
 Lee, Richard F., Judd C. Nevenzel and A. G. Lewis. Lipid changes during life cycle of marine copepod, *Euchaeta japonica* Marukawa, 891
 Leerkamp, J. and A. N. Siakotos. Mass determination of lipids with automated thermogravimetric analytical procedure, 415
 Lenaz, G. See G. Parenti-Castelli
 Lenton, J. R. See L. J. Goad
 Letan, A. See Tamar Guttinger
 Levis, Gabriel M. See Joanna A. Karli
 — and M. Kesse-Elias. Glycosphingolipids of white cells lymphoid tissue and bone marrow, 851
 Lewis, A. G. See Richard F. Lee
 Lieber, Charles S. Effects of ethanol upon lipid metabolism, 103
 Lin, Chu Yuan. See Hiroaki Tanioka
 Litchfield, Carter. See Elaine Jefferts
 Liu, M. S., P. J. Brooks and K. Joe Kako. Biosynthesis of monoacyl-sn-glycerol 3-phosphate by rabbit heart mitochondria: Positional specificity differing from liver enzyme, 391
 Lo, Wan-Bang. See Homer S. Black
 Lombardi, B. See S. L. Katyal
 Lough, A. K. See W. R. H. Duncan
 Lowry, Robert R. and Ian J. Tinsley. Short communication re a simple, sensitive method for lipid phosphorus, 491
 Lumb, William V. See Jacqueline Dupont
 Lutsky, Barry N., Charles Casmer and Patricia Koziol. In vitro incorporation of ¹⁴C-acetate into lipids of hamster flank organ (costovertebral organ) sebaceous glands and epidermis, 43

M

- Magnusson, R. J. See M. M. Fisher
 Malins, Donald C. and Paul A. Robisch. Evidence for acyl transfer reactions between neutral glycerolipids in dogfish (*Squalus acanthias*) serum, 498
 — and Paul A. Robisch. Metabolism of ether linked glycerolipids in dogfish (*Squalus acanthias*) serum: Evidence for resistance of ether bond to cleavage in 1-alkyl-2,3-diacylglycerols, 975
 Marsh, V. G., A. L. Tappel and V. M. Burns. Fluorescent products of lipid peroxidation: II. Methods for analysis and characterization, 328
 Maroun, Nabil A. See Ibrahim R. Shimi
 Marsden, Joan R. and Dorothy M.-E. Pocock. Letter to the editor re concerning annelid triglycerides and active lipases, 1036
 Maskens, K. See D. E. Minninkin
 Matsumoto, Taro. See Toshihiro Itoh
 — See Tae Myoung Jeong
 McClellan, Mary Anne. See Jacqueline Dupont
 McKilligan, Mary E. and J. A. G. LaRose. Study of free and bound lipids of *Brassica campestris*, var. Yellow Sarson, 455
 McMeans, E. See T. K. Yang
 McQuillin, F. J. See D. E. Minninkin
 Meng, H. C. See M. C. Wang
 Mengoli, Henry F. See Richard J. Cenedella
 Menkes, John H. See Ephraim Yavin
 Mercuri, O. See L. E. Chiappe
 Metais, P. See A. Bach
 Michel, Hubert S. and Jeffrey Horbar. The effect of peroxidized arachidonic acid upon human platelet aggregation, 68
 Miller, O. Neal. See Ann C. Sullivan
 Miller, Roger W., C. R. Smith, Jr., D. Weisleder, R. Kleiman and W. K. Rohwedder. Composition of *Celastrus orbiculatus* seed oil, 928
 Minninkin, D. E., P. Abley, F. J. McQuillin, K. Kusamran, K. Maskens and N. Polgar. Location of double bonds in long chain esters by methoxymercuration-demercuration followed by mass spectroscopy, 135
 Miyagawa, Akihisa. See Mieko Oshima
 Moore, J. H. See W. W. Christie
 Morales, Reginald W. See Elaine Jefferts
 Morin, Robert J. and Thomas Ihrig. Formation of palmitate esters of monohydric short chain alcohols by swine arterial subcellular fractions, 86
 Morley, N. H., A. Kuksis and D. Buchnea. Hydrolysis of synthetic triacylglycerols by pancreatic and lipoprotein lipase, 481
 Morrisett, Joel D. Short communication re synthesis of spin-labeled neutral lipids: Nitroxyl derivatives of triglycerides and sterol esters, 726
 Mossbach, E. H. See B. I. Cohen
 Moss, S. A. and F. M. Yatsu. Brain mitochondrial in-

- corporation of elongated fatty acids into phospholipids, 967
- Myher, J. J. and A. Kuksis. Gas chromatographic resolution of homologous monoacyl and monoalkylglycerols, 382
- N**
- Naccarato, William F., John R. Gilbertson and Rose A. Gelman. Effect's of different culture media and oxygen upon lipids of *Escherichia coli* K-12, 322, erratum, 494
- John R. Gilbertson and Rose A. Gelman. In vivo and in vitro biosynthesis of free fatty alcohols in *Escherichia coli* K-12, 419
- Nalbone, G., D. Lairon, H. Lafont, N. Domingo, J. Hauton and L. Sarda. Behavior of biliary phospholipids in intestinal lumen during fat digestion in rat, 765
- Nelson, Gary J. Elution characteristics of fatty acid methyl esters on capillary columns, 254
- Nera, E. A. See J. L. Beare-Rogers
- Nes, William R. Role of sterols in membranes, 596
- Nevenzeld, Judd C. See Richard F. Lee
- Nicholls, H. J. See A. M. Atallah
- Nigg, H. N., J. A. Svoboda, M. J. Thompson, J. N. Kaplanis, S. R. Dutky and W. E. Robbins. Ecdysone metabolism: Ecdysone dehydrogenase-isomerase, 971
- Nikolasev, Velimir. Short communication re individual phospholipid contents and their fatty acid compositions in early normal human embryonic lung tissue, 827
- Nilsson-Ehle, P., A. S. Garfinkel and M. C. Schotz. Positional specificity of adipose tissue lipoprotein lipase, 548
- Nixon, J. E., T. A. Eisele, J. H. Wales and R. O. Sinnhuber. Effect of subacute toxic levels of dietary cyclopentenoid fatty acids upon membrane function and fatty acid composition in the rat, 314
- Nixt, Thomas L. See L. J. Filer, Jr.
- O**
- O'Deen, Louise A. See Jacqueline Dupont
- Oh, Suk-Yon. See Jacqueline Dupont
- Orcutt, David M. and Glenn W. Patterson. Effect of light intensity upon lipid composition of *Nitzschia closterium* (*Cylindrotheca fusiformis*), 1000
- Organisciak, D. T. and J. D. Klingman. Lipid composition of rat superior cervical ganglion, 307
- Oshima, Mieko and Akihisa Miyagawa. Comparative studies on the fatty acid composition of moderately and extremely thermophilic bacteria, 476
- Ostwald, Rosemarie. See Helen Hanasma
- Ottaway, C. A. See C. Y. Y. Hsiao
- Oudejans, R. C. H. M. and D. J. Van Der Horst. Effect of excessive fatty acid ingestion upon composition of neutral lipids and phospholipids of snail *Helix pomatia* L., 798
- P**
- Parenti-Castelli, G., E. Bertoli, A. M. Sechi, M. G. Silvestrini and G. Lenaz. Effect of soluble and membrane proteins upon diethyl ether extraction of aqueous phospholipid dispersions, 221
- Parisi, J., G. A. De Weerd, R. Beke and F. Barbier. Short communication re stereospecific analysis of human plasma triglycerides, 937
- Parker, Sharon L., John A. Thompson and Ronald C. Reitz. Effects of chronic ethanol ingestion upon acyl-CoA: Carnitine acyltransferase in liver and heart, 520
- Parsons, John G. See Phil B. Price
- and Phil B. Price. Search for barley (*Hordeum vulgare* L.) with higher lipid content, 804
- Pattie, Harold E., John A. Singleton and Elizabeth B. Johns. Pentane production by peanut lipoxygenase, 302
- Patterson, Glenn W. See David M. Orcutt
- See L. B. Tsai
- P. J. Doyle, L. G. Dickson and J. T. Chan. Effects of triparanol and AY-2944 upon sterol biosynthesis in *Chlorella*, 567
- Peng, Andrew C. Composition of the lipids in cabbage, 299
- Pengelly, Eric T. See Roland C. Aloia
- Pennington, Sam. See Mary Koes
- Phillips, F. See Eiji Araki
- Pitas, Robert E. and Robert G. Jensen. Letter to the editor re convenient method for concentration of esters prior to gas liquid chromatographic analysis, 729
- Pocock, Dorothy M.-E. See Joan R. Marsden
- and Alan Vost. DDT absorption and chylomicron transport in rat, 374
- Polgar, N. See D. E. Minnikin
- Porcellati, G. See L. Binaglia
- Price, Phil B. See John G. Parsons
- and John G. Parsons. Lipids of six cultivated barley (*Hordeum vulgare* L.) varieties, 560
- Price, V. M. See M. M. Fisher
- Privett, O. S. See Eiji Araki
- See D. I. Demeyer
- See Takehiko Takatori
- R**
- Radin, Norman S. Short communication re preparation of psychosines (1-hexosyl sphingosine) from cerebrosides, 358
- Ragheb, Hemmat H. See Ibrahim R. Shimi
- Raicht, R. F. See B. I. Cohen
- Raju, Pullarkat K. Altered stearoyl-CoA desaturase activities in Morris hepatomas 5123C and 7800, 795
- Ramsey, Robert B. and A. N. Davison. Short communication re effect of phospholipase A upon brain cholesterol ester formation, 440
- Rao, G. Ananda and S. Abraham. Fatty acid desaturation by mammary gland microsomes from lactating mice, 269
- and S. Abraham. Short communication re lack of dietary adaptation of intestinal 2-monoglyceride acyl transferase, 940
- Reitz, Ronald C. See Sharon L. Parker
- Robbins, W. E. See H. N. Nigg
- See J. A. Svoboda
- Robert, R. See L. Binaglia
- Roberts, D. C. K. and C. E. West. Influence of rabbit milk upon cholesterolaeamic response of offspring of rabbits, 495
- Robisch, Paul A. See Donald C. Malins
- Rogers, C. G. Fatty acids and phospholipids of adult and newborn rat hearts and of cultured, beating neonatal rat myocardial cells, 541
- Rohwedder, W. K. See Roger W. Miller
- Roland, J. F., Jr. See R. J. Wargel
- Rosenstein, Fumiko U. See Henry W. Kircher
- Rosenthal, Arthur F. and Sergei V. Chodsky. Inhibition of phospholipase C by isosteric phosphinic acid analogues of lecithin, 77
- Rothblat, George H. Cholesteryl ester metabolism in tissue culture cells. I. Accumulation in Fu5AH rat hepatoma cells, 526
- Rouser, George. See Roland C. Aloia
- See John D. Turner
- Ruth, John M. See Vincent P. Flanagan
- S**
- Safe, S. Lipid and alkali extractable fatty acids from *mucor rouxi*: Effect of thermal changes in growth environment and age of cells, 952
- and J. Duncan. Effect of oxygen levels on the fatty acids and lipids of *mucor rouxi*, 285
- Sarda, L. See G. Nalbone
- Sawaya, W. N. See P. E. Kolattukudy
- Schlenk, Hermann. See Bengt A. Andersson
- See Joanne L. Gellerman
- Schmid, Harald H. O. See Kwei Lee Su
- Schotz, M. C. See P. Nilsson-Ehle
- Schwartz, D. P. See J. L. Weihrauch
- Scott, P. J. See G. D. Calvert
- Sechi, A. M. See G. Parenti-Castelli
- Shah, Shantilal N. See Ronald C. Johnson
- Shimi, Ibrahim R., Nabila A. Maroun, Mamdouh Y. Kamel, Hemmat H. Ragheb and Mohga M. Badran. Biochemical and physiological studies of certain ticks (Ixodoidea): Isolation and partial identification of a new fatty acid in eggs of *Dermacentor andersoni* Stiles (Ixodoidea), 368
- Sliakatos, A. N. See J. Leerkamp
- Silvestrini, M. G. See G. Parenti-Castelli
- Sinclair, A. J. Fatty acid composition of liver lipids during development of rat, 809
- Singleton, John A. See Harold E. Pattie
- Sinnhuber, R. O. See J. E. Nixon
- Smith, C. R., Jr. Short communication re *Saussurea candicans* seed oil—Alternative source of crepenyenic acid, 640
- See Roger W. Miller
- Smith, Lloyd M. and Suhadi Hardjo. Fatty acid composition of monkey milk lipids, 674
- and Suhadi Hardjo. Intramolecular fatty acid distribution in milk fat triglycerides of monkeys, 713
- Smith, Stuart. See Hiroaki Tanioka
- Spagnuolo, C. See C. Galli

Stiller, Richard L. See Benjamin Weiss

Storm, J. E. See B. Tuckley

Su, Kwei Lee and Harald H. O. Schmid. On the levels of alkyl and alk-1-enyl glycerolipids in normal and neoplastic tissues: A method of quantification, 208

Sullivan, Ann C., Joseph Triscari, James G. Hamilton and O. Neal Miller. Effect of (-)-hydroxycitrate upon the accumulation of lipid in the rat: II. Appetite, 129

— Joseph Triscari, James G. Hamilton, O. Neal Miller and Victor R. Wheatley. Effect of (-)-hydroxycitrate upon the accumulation of lipid in the rat: I. Lipogenesis, 121

Sun, A. Y. See G. Y. Sun

Sun, G. Y., J. Go and A. Y. Sun. Induction of essential fatty acid deficiency in mouse brain: Effects of fat deficient diet upon acyl group composition of myelin and synaptosome-rich fractions during development and maturation, 450

Svensson, Lennert. See Rolf Blomstrand

Svoboda, J. A. See H. N. Nigg

— M. J. Thompson, T. C. Elder and W. E. Robbins. Unusual composition of sterols in a phytophagous insect, Mexican bean beetle reared on soybean plants, 752

T

Takahashi, Y. I. and Barbara A. Underwood. Effect of long and medium chain length lipids upon aqueous solubility of α -tocopherol, 855

Takatori, Takehiko and O. S. Privett. Studies of serum lecithin-cholesterol acyl transferase activity in rat: Effect of vitamin E deficiency, oxidized dietary fat, or intravenous administration of oxonides or hydroperoxides, 1018

Takeda, Susumu. See Kazuo Kasama

Takeuchi, Nozomu, Masami Ito and Yuichi Yamamura. Esterification of cholesterol and hydrolysis of cholesteryl ester in alcohol induced fatty liver of rats, 353

Tamura, Toshitake. See Toshihiro Itoh

— See Tan Myoung Jeong

Tan, W. C. See D. I. Denever

Tanioshi, Hiroaki, Chu Yuan Lin, Stuart Smith and S. Abraham. Acyl specificity in glyceride synthesis by lactating rat mammary gland, 229, erratum, 644

Tappel, A. L. See V. G. Malshet

Thompson, John A. See Sharon L. Parker

Thompson, M. J. See H. N. Nigg

— See J. A. Svoboda

Tinsley, Ian J. See Robert R. Lowry

Tornabene, T. G., M. Kates and B. E. Volcani. Sterols, aliphatic hydrocarbons, and fatty acids of a non-photosynthetic diatom, *Nitzschia alba*, 279

Triscari, Joseph. See Ann C. Sullivan

Tsal, L. B., G. W. Patterson, C. F. Cohen and P. D. Klein. Metabolism of 2,4-³H-14 α -methyl-5 α -ergost-8-enol and 2,4-³H-5 α -ergosta-8,14-dienol in *Chlorella ellipsoidea*, 1014

Tuckley, B. and J. E. Storry. Letter to the editor re an improved method for thin layer chromatography of plasma lipids by single development, 493

Tulloch, A. P. Leaf wax of *Portulaca oleracea*, 664

— and L. L. Hoffman. Leaf wax of oats, erratum, 219

Turner, John D. and George Rouser. Removal of lipid from intact erythrocytes and ghosts by aqueous solution and its relevance to membrane structure, 49

U

Underwood, Barbara A. See Y. I. Takahashi

V

Vadehra, D. V. Staphylococcal lipases, 158

Van Der Horst, D. J. See R. C. H. M. Oudejans

Verdonk, G. See A. Lagrou

Volcani, B. E. See T. G. Tornabene

Vost, Alan. See Dorothy M.-E. Pocock

W

Wales, J. H. See J. E. Nixon

Walker, Brian L. Short communication re convenient apparatus for extraction of tissue lipids, 938

Wang, M. C. and H. C. Meng. Synthesis of phospholipids and phospholipid fatty acids by isolated perfused rat lung, 63

Ward, Tom. See Mary Koss

Wargel, R. J., W. L. Alm and J. F. Roland, Jr. Letter to the editor re Δ - and Σ -hydroxylation of keto acid by mushrooms, 943

Weete, John D. and Laster, John L. Distribution of sterols in the fungi I. fungal spores, 575

Weihrauch, J. L., C. R. Brewington and D. P. Schwartz. Trace constituents in milk fat: Isolation and identification of oxofatty acids, 883

Weisleder, D. See H. W. Gardner

— See Roger W. Miller

Weiss, Benjamin and Richard L. Stiller. Dibutyril cyclic adenosine 3',5-monophosphate and brain lipid metabolism, 514

West, C. E. See D. C. K. Roberts

Wetlauffer, D. B. See C. Y. Y. Hsiao

Wheatley, Victor R. See Ann C. Sullivan

Wiegand, Rex D. See Randall Wood

— and Randall Wood. Lipids of cultured hepatoma cells: III. Triglyceride and phosphoglyceride biosynthesis in minimal deviation hepatoma 7289C, 141

Wilson, L. See N. Baker

Wood, Randall. Embryonic vs. tumor lipids: II. Changes in phospholipids of developing chick brain, heart, and liver, 429

— Short communication re tumor lipids: long chain dienoic acid in sphingomyelin, 830

— See Rex D. Wiegand

— and John Falch. Lipids of cultured hepatoma cells: IV. Effect of serum and lipid upon cellular and media neutral lipids, 979

— John Falch and Rex D. Wiegand. Lipids of cultured hepatoma cells: V. Distribution of isomeric monoene fatty acids in individual lipid classes, 987

X-Y-Z

Yamamura, Yuichi. See Nozomu Takeuchi

Yang, T. K., E. McMeans, L. E. Anderson and H. M. Jenkin. Sphingophospholipids of species of *Aedes* and *Culex* mosquito cells cultivated in suspension culture from logarithmic and stationary phases of growth, 1009

Yatsu, F. M. See S. A. Moss

Yavin, Ephraim and John H. Menkes. Incorporation and metabolism of fatty acids by cultured dissociated cells from rat cerebrum, 248

Yoshida, Katsumi. See Kazuo Kasama

Yousef, I. M. See J. E. Denton

— See M. M. Fisher

— G. Kakis and M. M. Fisher. Bile acid metabolism in mammals: VI. Effect of ethionine upon bile acids of rat bile, 407

Yousef, M. K. See J. E. Denton

Ziboh, Vincent A. See Eric G. Brunngraber

SUBJECT

A

- Absorption, intestinal, rat, DDT, 374**
- Acetate, *E. coli*, precursor fatty alcohols, hydrocarbons, 322**
- fat mobilization, ethanol intake, 103
 - incorporation, lipids, hamster flank organ, sebaceous glands, epidermis, 43
 - Acetate, C14, incorporation into phospholipids, rat brain, liver, 72**
 - 2-¹⁴C-Acetate, in brain lipid metabolism, 514**
 - Acetates, glycerols, monoalkyl, monoacyl, monoalkenyl, preparation, GLC, 382**
 - Acetic acid, in *Celastrus orbiculatus*, 928**
 - in triglycerides of *Celastrus orbiculatus*, 928 - 2-Acetoamidoethyl (p-chlorophenyl) m-trifluoro-methylphenoxy) acetate, serum cholesterol, triglycerides, atherosclerosis, 97**
 - Acetyl-CoA carboxylase, activity in intestine, 940**
 - Acetylenic acid, in mons, 506**
 - Acidosis, ethanol intake, 103**
 - Actinic tumors, hairless mouse, incorporation of acetate, 292**
 - Acyl-CoA:1-acyl-sn-glycerol-3-phosphorylcholine acyl transferase, EC 2.3.1.-1, bovine mammary microsomes, 748**
 - Acyl-CoA:acetyl acyltransferase, swine aorta, 86**
 - Acyl-CoA:carnitine acyltransferase, effects of chronic ethanol ingestion, 520**
 - substrate specificity, 520 - Acyl-CoA, long chain, substrate specificity for acyl-CoA: carnitine acyl transferase, 520**
 - 2-Acyl-1,2-propanediols, acyl migration, 55**
 - synthesis, dehydrogenation, 55 - Acylation, lysophosphatidylcholine by bovine mammary microsomes, 748**
 - of monoglycerides in intestinal mucosa, 940 - Acyltransferase, activity in absorption of glycerides in intestine, 940**
 - in bovine mammary gland, 905
 - bovine mammary microsomes, 748
 - delipidation, relipidation, 905
 - in dogfish serum, 498
 - effect of sonication on reaction rates, 905
 - enzymatic assay for activity of, 905
 - enzyme kinetic data from mammary gland preparations, 905
 - lactating rat mammary gland, 229
 - liver, ethanol intake, 103
 - phosphatidic acid synthesis, 905
 - role in glyceride synthesis, 905 - Adenosine, inhibition of platelet aggregation, 68**
 - Adipose, ovine, branched chain fatty acids 689**
 - Adipose, rabbit, stereospecific analysis of triglycerides, 201**
 - Adipose tissue, acetone ether fractionation, 548**
 - fatty acid mobilization, ethanol intake, 103
 - lipoprotein lipase, 548
 - ratio tocopherol:PUFA, 800 - Adipose tissue, rat, fatty acid profile, dietary cyclopropene fatty acids, 314**
 - lipase activity, 548 - Adrenal, rat, cholesterol level, 191**
 - cholesterol, α -tocopherol, oral contraceptives, 91
 - corticosteroid synthesis, 191 - Aedes aegypti, sphingolipids of, 1009**
 - Aedes albopictus, sphingolipids of, 1009**
 - Age, effect on chicken uropygial gland alkane-2,3-diols, 290**
 - Akamegashiba, sterol composition, 921**
 - Alcohol, in Atlantic pilot whale, head oil, 461**
 - effect on lipid metabolism, 899
 - effect on peroxidation, 899
 - nicotinamide adenine dinucleotide effect on in rats, 899
 - rats, chronic ingestion, 899
 - See Ethanol - Alcohol dehydrogenase, ethanol intake, 103**
 - microsomal, 899
 - in rat, 899 - Alcohols, primary, secondary, snake skin, oxidation, TLC, GLC-MS, structure, 8**
 - Alcohols, long chain, in copepod eggs, 891**
 - Alcohols, short chain, esterification with palmitate, swine aorta, 86**
 - Alcohols, triterpene, seed fats and vegetable oils, 173**
 - Alcohols, tritylated, dehydrogenation, liquid chromatography, silicic acid-boric acid, 68**
 - Alcohols, wax, *P. oleaceae*, 684**
 - Alfalfa seed, sterols, methylsterols and triterpene alcohols, 173**
- Algae, culture media, 1014**
- lipid composition, 1000
 - mechanisms of sterol biosynthesis, 582
 - sterol composition, biosynthesis, 567
 - sterol metabolism, 1014
- Alk-1-enyl glycerolipids, method for quantification, 208**
- in rat heart, liver, testes, brain and tumors, 208
- Alkanamines, biochemistry, metabolism, 626**
- Alkenylacyl glycerol, plasmalogen biosynthesis in brain, 738**
- 1-Alkyl-2,3-diacylglycerols, in dogfish, 498, 975**
- metabolism, 498, 975
- Alkyl glycerolipids, method for quantification, 208**
- in rat heart, liver, testes, brain and tumors, 208
- Alkyl monocarboxylic acids, carbonyl, bioreduction, 943**
- Alkylacyl glycerol, plasmalogen biosynthesis in brain, 738**
- Alkylation mechanisms, in sterol biosynthesis, 582**
- Alkylsalllicylic acids, biosynthesis from acetate by *G. biloba*, 722**
- Allolobophora caliginosa. See Earthworms**
- Amelanotide, melanoma, hamster, alkyl and alk-1-enyl glycerolipids, 208**
- Amides, mass spectra, 443**
- preparation from fatty acids, 443
- Aminoethanols, N-methyl substituted, fractionation, paper chromatography, GLC, 81**
- Amphibian, oocyte, embryo, blastula, lipid composition, fatty acid profile, 27**
- α -Amyrin, isolation and characterization in oilseeds, 173**
- β -Amyrin, isolation and characterization in oilseeds, 173**
- *P. oleacea* leaf wax, 664
- Anacardic acids, biosynthesis from acetate by *G. biloba*, 722**
- Annelids, lipase activity in, 1036**
- triglycerides, 1036
- Anthophylla, sterol metabolism in, 582**
- Antibodies, rabbit, antiphospholipid, 692**
- Antigens, cardiolipin in rabbits, 692**
- phosphatidylinositol in rabbits, 692
- Antisera, anticardiolipin, 692**
- antiphosphatidylinositol, 692
- Aorta, swine, acyl-CoA:alcohol acyl transferase activity, 86**
- esterification, cholesterol, inhibition by ethanol, 86
 - esterification, short chain alcohol, palmitate, 86
- Appetite, rat, meal-fed, effect citrate, (-)-hydroxycitrate, 129**
- Arachidonate acid, peroxidized, human platelet aggregation, in vitro, 68**
- preparation, lipoxygenase, 68
- Arthroderma uncinatum, phospholipid composition of a dermatophyte, 264**
- Arthropolyta, sterol metabolism in, 582**
- Asciites cells, Walker 256, fatty acid incorporation, in vitro, 338**
- lipid fractionation, TLC, GLC, 338
 - lipids, fatty acid profile, 338
 - lipolytic activity, free fatty acid release, regulation, 338
 - lipolytic activity, pH, temperature, 338
 - maintenance, isolation, 338
- Ascolectin, soybean phospholipids, 221**
- radioactive, of acyl-CoA:carnitine acyltransferase, 520
 - spectrophotometric, of acyl-CoA:carnitine acyltransferase, 520
- Astrocytes, rat brain, isolation, phospholipid synthesis, 72**
- Atherosclerosis, serum cholesterol, triglycerides, hypolipidemic drugs, 97**
- Atlantic pilot whale, head oil lipids, 461**
- Atromid-S. See Ethyl-p-chlorophenoxyisobutyrate**
- Autoradiography, lipids, hamster flank organ, sebaceous glands, epidermis, 43**
- Autokation, linolenic acid, UV catalyzed, products, identification, 346**
- Δ^5 -Avenasterol, in vegetable oil, 921**
- Δ^7 -Avenasterol, in plant seeds, 921**
- Avocado, chain elongation of fatty acids of, 850**
- cytoplasm role in fatty acid synthesis, 850
 - plastids role in fatty acid synthesis, 850
- AY-9944, effect on sterol synthesis in algae, 567**
- Azelic acid, linolenic acid autoxidation products, 346**
- Azelic acid, semialdehyde, linolenic acid autoxidation products, 346**

B

- B. stearothermophilus, fatty acid profile, 478**
- B. thermophile, fatty acid profile, 478**
- Bacteria, absence of sterols in, 596**

- Bacteria, thermophilic, fatty acid profile, 476
Balsam, garden, seed, sterols, methylsterols and triterpenes, alcohols, 173
 Barley, effect on ovine subcutaneous lipid, 669
 — genetic selection for lipid content, 804
 — lipid composition, 561
Basidiomycetes, fatty acid metabolism in, 943
 — sterols, 575
Beetle, Mexican bean, sterols in egg, prepupa and adult, 752
*Benzal acid, in *Celastrus orbiculatus* seed oil, 928*
 — esterified to sesquiterpenoid triols, 928
Benzolo, 1-hydroxy-6-alkyl, anacardic acids, 722
BHT, inhibition of platelet aggregation, 68
Bile, rat, bile acid composition, dietary ethionine, sex differences, 407
 — collection, 765
 — dietary ethionine, sex differences, 407
 — effect of diet, 786
 — polypeptide-phosphatidyl choline association, 765
 — TLC, GLC, 407
Bile acids, analysis, 844, 945
 — conjugates in rats, 786
 — content in trout, 945
 — conversion to coprostanol, 1024
 — 7-dehydroxylation, 1024
 — deoxycholic acid, hepatic metabolism in rats, 786
 — dietary, effect on bile acid metabolism in rat, 1024
 — effect of dietary cholesterol on metabolism, 731
 — GLC analysis, 844
 — hepatic and nonhepatic in pigs, 294
 — metabolism of in rat, 844
 — metabolism in trout, 945
 — phenobarbital, effect on, in rat, 844
 — sulfated, metabolism in rats, sex differences, 786
 — sulfates, in rainbow trout, 945
 — turnover in guinea pigs, 731
 — turnover in miniature swine, 717
 — turnover in rat, 844
Bile canula, in rat, 844
Bile fistulas, in rat, steroid balance, 844
Bile salts, effect on tectorophor absorption, 855
Biosynthesis, cholesterol, liver, effect of drugs, 97
1,1-Bis[4'-(1'-carboxy-1"-methylpropoxy)-phenyl] cyclohexane serum cholesterol, triglycerides, atherosclerosis, 97
Bis(hydroxyethylthio)1,10-decane, serum cholesterol, triglycerides, atherosclerosis, 97
Bis-(monocetylglycerol)phosphate, diethylaminoethoxyhexesterol lipidos, 235
Blasula, toad, lipid composition, fatty acid profile, phospholipid synthesis, 27
Bone marrow, porcine, glycosphingolipids, 651
Boric acid, dehydration to metaboric and tetraboric acid, 833
Bovine, thyroid, cholesterol, 870
 — hypertrophic, 870
 — lipid composition, 870
 — water content, 870
Bovine mammary gland, acyl coenzyme A in, 905
 — acyl transferases in, 905
 — fatty acid esterification in, 905
 — glyceride synthesis, 905
 — isolation of microsomes from, 905
 — lipid synthesis, 905
 — milk lipids in, 905
 — palmitoyl acyl transferase, 905
Brain, chick embryo, phospholipids, fatty acid profile, development, 429
 — metabolism of lipids, 514
Brain, lipid, synthesis, effect of cAMP, 514
Brain, mitochondria, fatty acid metabolism, 957
 — phospholipid fatty acid, 957
Brain, mouse, effect of EFA deficiency, 450
Brain, rat, alkyl and alk-1-enyl, glycerolipids, 208
 — cell fractionation with trypsin, and phospholipid biosynthesis, 72
 — cholesterol, 514
 — cholesterol ester synthesis, phospholipase A, 440
 — fatty acid profile, 957
 — gangliosides, 641
 — incorporation of fatty acids, 248
 — lipid synthesis, effect of cAMP, 514
 — metabolism of fatty acids, 248
 — metabolism of phospholipids, fatty acids, 957
 — neutral lipids, 514
 — phospholipid biosynthesis, effects of trypsin, 72
 — phospholipids, metabolism, 514
 — preparation of ³⁵S-sulfatide, 865
 — synthesis of ethanolamine plasmalogens, 738
 — triglycerides, 514
Brain, swine, adult, phospholipids and fatty acids of cerebellar cortex membrane fractions, 756
 — adult, phospholipids and fatty acids of whole cortex membrane fractions, 756
 — fetal, phospholipids and fatty acids of cerebellar membrane fractions, 756
Brain cortex, rabbit, biosynthesis of ethanolamine plasmalogens, 738
Brassica campestris, fatty acid profile, 455
 — lipid composition, 455
 — phospholipids, 455
*Brassicasterol, metabolism in *Chlorella*, 1014*
 — in a nonphotosynthetic diatom, 279
 — in plant seeds, 921
Brockhoff procedure, for human plasma triglycerides, 937
 — use in stereospecific analysis of milk lipids, 876
Bryophyte, sterol metabolism in, 582
n-Butanol, extraction of dihydroxyacetone phosphate, 502
1-Butyl acetate, use as extracting solvent in phosphorus determination, 491
N-n-Butyl-9-enopyrrolidine, mass spectra, 443
Butylated hydroxy toluene. See BHT
Butyrospermol, isolation and characterization in oil seeds, 173

C

- Cabbage, lipid composition, fractionation, fatty acid profile, 299*
Calcium hydroxylapatite, use in purification of gangliosides, 641
Calcium ions, platelet aggregation by peroxidized arachidonic acid, 68
Camellia japonica L., sterols, methylsterols and triterpenes, alcohols, 173
Camellia Sasanqua Thunb., sterols, methylsterols and triterpenes, alcohols, 173
Campestanol, in Mexican bean beetle egg, prepupa and adult, 752
 — preparation, campesterol acetate reduction, 333
 Δ^5 -Campestene, chromatography, mass spectrum, 471
 7-Campesterol, preparation, 7-dehydrocampesterol acetate reduction, 333
Campesterol, in plant seeds, 921
 — soybean, purification, argentation chromatography, crystallization, 333
Cancer, autoxidation of linolenic acid, high yield, growth inhibition studies, 346
 — fatty acid desaturation in, 489
 — rat liver, fatty acid profile, 360
 — rat liver, linoleic acid desaturation, 360
Canine, MCT and methylene blue perfusion, 781
Cannula, thoracic duct, jugular vein, fat absorption, plasma clearance, 374
Capillary columns, GLC of fatty acid methyl esters, 254
Capric acid, deuteration of, 913
Caproic acid, deuteration of, 913
Caprylic acid, deuteration of, 913
Carbohydrate, dietary, ethanol induced fatty liver, 103
Carbon number, capillary GLC, fatty acid methyl esters, 254
Carcass, pig, fatty acid profile, 536
Cardiac genins, in plant, 626
Cardiac glycosides, in plant, 626
Cardiolipin, rabbit antisera, 692
 — rat heart mitochondria, effect of erucic acid, 771
Carnitine, effects of ethanol on acyl-CoA:carnitine acyltransferase, 520
 — ethanol induced fatty liver, 103
 — substrate specificity for acyl-CoA:carnitine acyltransferase, 520
CDP-ethanolamine, plasmalogen biosynthesis in brain, 738
Celastrus orbiculatus, acetate metabolism, 928
 — fatty acid profile, 928
 — lipid components, 928
 — sesquiterpene esters of seed oil, 928
 — trans-cinnamate in, 928
Cell culture, incorporation of fatty acids, 248
 — metabolism of fatty acids, 248
 — triglyceride and phospholipid biosynthesis, 141
Cell fractionation, brain, liver, trypsin and phospholipid biosynthesis, 72
 — *E. coli*, ultrasonication, ultracentrifugation, 419
Ceramide, galactosyl, isolation, column chromatography, 358
Ceramide, glucosyl, isolation, column chromatography, 358
Ceramide oligosaccharides, human thyroid, male and female, 819
Ceramide phosphorylcholine, from cultured mosquito cells, 1009
 — effect of growth phase on fatty acid profile, cultured cells, 1009
 — fatty acid profile, 1009
 — of mosquitos, 1009

- Ceramide trihexoside, porcine thymus, leucocytes and bone marrow, 651
- Ceramides, of *Tetrahymena pyriformis*, 554
- Ceratodon purpureus, acetylenic acid in, 506
- Cerebroside sulfate, radioactive, preparation from rat brain, 865
- ³⁵S-Cerebroside sulfate, preparation from rat brain, 865
- Cerebrosides, glycolipids in 8 varieties of barley, 804
- hydrolysis of, by KOH, 358
- Cervical ganglion, rat superior, lipid components, fatty acid profile, 307
- lipid fractionation, multiple development TLC, 307
- Chelation, fluorescence of peroxidized lipids, tissues, 328
- Chenodeoxycholic acid, conversion to cholic acid by trout liver homogenates, 945
- guinea pig bile, 731
- metabolism in rat, 844
- Chick embryo, phospholipids, fatty acid profile, brain, heart, liver, 429
- Chicken liver, microsomal desaturation of stearyl CoA, 196
- Chicken, uropygial gland, alkane-2,3-diol diesters, 290
- wax diesters, 290
- Chimay alcohol, metabolism in dogfish, 975
- Chlorella ellipsoidea, brassicasterol metabolism, 1014
- effect of Triparanol and AY-9944 on sterol metabolism, 567
- 5 α -ergosta-8,14-dienol conversion to ergost-5-enol in, 1014
- 14 α -methyl-5 α -ergost-8-enol conversion to ergost-5-enol in, 1014
- sterol composition, biosynthesis, 567
- sterol metabolism, 1014
- tritium labeled steroids, 1014
- Chlorella emersonii, effect of Triparanol and AY-9944 on sterol metabolism, 567
- sterol composition, biosynthesis, 567
- Chlorella sorokiniana, effect of Triparanol and AY-9944 on sterol metabolism, 567
- sterol composition, biosynthesis, 567
- Chlormadinone. See Contraceptives, oral
- trans-1,4-bis-(2-Chlorobenzylaminomethyl) cyclohexane dihydrochloride. See AY-9944
- Chlorophylla, sterol metabolism in, 582
- Cholanols acids, hepatic and nonhepatic in pigs, 294
- Cholestanol, in Mexican bean beetle egg, prepupa and adult, 752
- Cholesterol, absorption, synthesis, oxidation, serum levels, effect of drugs, 97
- in bovine thyroid, 870
- cellular metabolism, 526
- conversion to coprostanol, 1024
- 7-dehydroxylation, 1024
- dietary, effect on bile acid metabolism, 731, 1024
- dietary, effect on sterol synthesis in liver, 962
- dietary, esterification, hydrolysis, ethanol induced fatty liver, 353
- erythrocytes, ghosts, loss in aqueous solution, 49
- esterification, ester hydrolysis, rat fatty liver, ethanol induced, 353
- esterification, swine aorta, inhibition by ethanol, 86
- in fungal spores, 575
- in head oil of pilot whale, 461
- human plasma lipoprotein Lp(a), 15
- metabolism in *Phaseolus vulgaris*, 613
- metabolism in plants, 626
- metabolism in rat liver, 962
- in plant seeds, 921
- plasma, oral contraceptives, progestins, estrogens, 117
- in rabbit milk, 495
- in rat serum, 1018
- rat tissue, α -tocopherol, oral contraceptives, 91
- role in bile acid metabolism, 844
- role in membrane interactions, 645
- turnover in miniature swine, 717
- Cholesterol esters, accumulation, ethanol induced fatty liver, rat, 353
- accumulation in tissue culture cells, 526
- in bovine thyroid, 870
- demyelination, 440
- in dogfish serum, 498
- fatty acid profile, fish testes, liver, 1004
- fatty acids in hepatoma, 987
- in head oil of pilot whale, 461
- in hepatoma culture media, 979
- hydrolysis, rat fatty liver, ethanol inhibition, 353
- in minimal deviation hepatoma, 979
- in rat serum, 1018
- rat tissue, α -tocopherol, oral contraceptives, fatty acid profile, 91
- synthesis, rat brain, phospholipase A, fatty acid profile, 440
- Cholesterol palmitate, metabolism in *Phaseolus vulgaris*, 613
- Cholesterol synthesis, kinetics of [¹⁴C]alanine and [³H] water incorporation, 121
- Cholestyramine, effect of acylation of glycerides, 940
- Cholic acid, metabolism in rat, 844
- in rat feces, 1024
- trifluoroacetate, desaturation during gas chromatography, 945
- Choline, ethanol induced fatty liver, 103
- Chromatography, triethylaminoethyl (TEAE) cellulose, sulfate, 865
- Chromatography, agarose gel, rat bile, 765
- Chromatography, argentation, campesterol purification, 333
- Chromatography, column, *A. uncinatum* lipids, 264
- acyl-CoA derivatives, 229
- acyl phosphatidylglycerol, 235
- of Atlantic pilot whale, head oil, 461
- bile or intestinal lipids, 765
- bis-(monoacylglycerol) phosphate, 235
- brain lipids, 248, 514
- DEAE-cellulose, thyroid glycolipids, 819
- of DNP's on Al₂O₃, 883
- earthworm lipids, 363
- of free and bound gangliosides, 641
- galactosyl ceramide, isolation, 358
- glucosyl ceramide, isolation, 358
- glycosphingolipids, 651
- homolytic decomposition products of linoleic hydroperoxide, 696
- human hepatoma lipids, 707
- of lipids of *Brassica campestris*, 455
- lipids of 8 varieties of barley, 804
- *P. oleracea* leaf wax, 664
- of plant sterols, 1014
- rat heart lipids, 771
- Sephadex, DEAE-cellulose, *E. coli* fatty aldehyde reductase, 419
- snail lipids, 798
- spin-labeled neutral lipids, 726
- thyroid glycosphingolipids, 819
- Chromatography, column, argentation, acetates of sterols, 173
- acetates of triterpene alcohols, 173
- beetle sterol acetates, 752
- of oxofatty acids, 883
- Chromatography, column, partition, of DNP's of oxofatty acids, 883
- Chromatography, DEAE cellulose, *A. uncinatum* lipids, 264
- Chromatography, gas-liquid, aldehydes and aldehyde-esters, 272
- alkane-2,3-diol isopropylidene derivatives, 290
- aminoethanols, N-methyl substituted, 81
- anacardic acids, 722
- barley fatty acids, 561
- barley lipid fatty acid methyl esters, 804
- bile acid assay, 407
- bile acid methyl esters, 945
- bile acids, 294, 844
- branched chain fatty acids, 669
- cabbage lipid fractions, 299
- capillary, fatty acid methyl esters, 254
- chick embryo, brain, heart, liver, fatty acids, 429
- cis and trans epoxyoctadecenoates, 272
- concentration of esters prior to, 729
- cyclopentenyl fatty acids, rat tissue lipids, 314
- depolymerization products of potato tuberin, 682
- of deuterated fatty acids, 913
- diacylglycerols, 481
- diatom fatty acids, 279
- diatom hydrocarbons, 279
- *E. coli*, fatty acids, alcohols, hydrocarbons, 322
- fatty acid methyl esters, rat ganglion lipids, 307
- fatty acid in pilot whale head oil, 461
- fatty acids, ascites cell lipids, 338
- of fatty acids of *Brassica campestris*, 455
- of fatty acids of *Celastrus orbiculatus* seed oil, 928
- fatty acids from rat heart, cultured myocardial cells, 541
- fatty acids, toad lipids, 27
- fecal sterols, 1024
- fish fatty acid methyl esters, 1004
- glass column for fungal sterols, 575
- glycerols, monoalkyl, monoacyl, monoenyl, acetates, silyl ethers, 382
- guinea pig bile acids, 731
- homolytic decomposition products of linoleic hydroperoxide, 696
- isoprenoid fatty acids from earthworms, 825
- isopropylidene derivatives of glycerol ethers, 208
- keto and hydroxy acids, 943
- leaf wax constituents, 664
- linolenic acid autoxidation products, 346
- lipids, snake skin, mass spectroscopy, 8

- marine copepod lipids, 891
 methoxylated fatty acid esters, 135
 monkey milk fatty acids, 675
 of monoenoic fatty acids, 987
 pentane, hexanal, peanut lipoxygenase products, 302
 preparative, tick egg fatty acids, 368
 pyrrolidines, 443
 rabbit renal papillary triglycerides, 835
 rat adrenal cholesterol ester fatty acids, 191
 rat bile acids, 786
 rat testis prostaglandins, trimethylsilyl ethers, 397
S. aureus lipase lipolytic products, 158
Saussurea candicans methyl esters, 640
 short chain fatty acids, 675
 snail lipid fatty acids, 798
 sponge fatty acids, 244
 in stereospecific analysis of triglycerides, 937
 sterols, methylsterols and triterpene alcohols, 173
 substituted dioxanes, 208
 tumor sphingomyelin fatty acids, 830
 vegetable oil non-saponifiables, 659
Chromatography, gas-liquid-mass spectroscopy, of bile acid, 844
 of branched chain fatty acids, 554
 of oxofatty acids, 883
 sesquiterpene ester, 928
 steroidolefins, 471
 of sterols, 921
Chromatography, gel, adipose tissue lipolytic enzymes, 548
R. arrhizus lipase, 166
S. aureus lipase, 158
Chromatography, glass fiber paper, lipids, tissues, feces, rat, 374
Chromatography, high-pressure-liquid, of ecdysone, 971
Chromatography, ion exchange, glycerol phosphate, 229
 neutral sugars from *R. arrhizus* lipase, 166
Chromatography, liquid, cabbage lipid, 299
 DEAE-Sephadex, peanut lipoxygenase, 302
E. coli lipids, 322
 lipids, snake skin, 8
 Sephadex LH-20, silicic acid, rat testis acidic lipids, 397
 silicic acid-boric acid, detritylation, trityl glycerides, 55
 toad lipids, 27
Chromatography, liquid-liquid, anacardic acids, 722
Chromatography, paper, aminoethanols, N-methyl substituted, 81
Chromatography, partition, of dinitrophenylhydrazone of oxofatty acids, 883
Chromatography, radio-gas-liquid, of bile acids, 945
 fatty acids, epididymal fat cells, 1
Chromatography, reverse-phase, of *Tetrahymena pyriformis* lipids, 554
Chromatography, thin-layer, *A. uncinatum* lipids, 264
 acyl phosphatidylglycerol, 235
 alkyl glycerols, 208
 ascites cell lipids, 338
 of Atlantic pilot whale, head oil, 461
 barley glycolipids, 804
 barley lipids, 561
 barley phospholipids, 804
 bile acid assay, 407
 bile acids, 294
 bile acids and conjugates, 945
 bile or intestinal lipids, 765
 bis-(monoacylglyceril) phosphate, 235
 boric acid, monoacylglycerol-3-phosphate isolation, 391
 brain lipids, 248, 514
 cabbage lipids, 299
 chick embryo, brain, heart, liver, lipids, 429
 of 7-dehydrostanosterol, 623
 depolymerization products of potato suberin, 682
 diatom nonsaponifiable lipids, 279
 diethylaminoethoxyhexestrol, 235
E. coli lipids, 322
 earthworm lipids, 363
 ecdysone, 971
 fecal sterols, 1024
 guinea pig bile acids, 731
 homolytic decomposition products of linoleic hydroperoxide, 696
 human erythrocytes, ghosts, lipids, 49
 human hepatoma lipids, 707
 human liver lipids, 235
 human thyroid glycosphingolipids, 819
 impregnation of layer with bicarbonate, 493
 isopropylidene derivatives of glycerol ethers, 208
 lipid extraction, apparatus, 938
 of lipids of *Brassica campestris*, 455
 lipids from cultured hepatoma cells, 141
 lipids, hamster flank organ, sebaceous glands, epidermis, 43
 lipids, snake skin, densitometry, 8
M. rouxi lipids, 285
 methoxylated fatty acid esters, 135
 micro multiple development, ganglion lipids, 307
 mouse actinic skin tumor lipids, 292
 of nonanal-9-oic acid, 512
 of oxofatty acids, 883
P. oliverae leaf wax, 664
 phospholipids, 235, 993
 rat adipose tissue glycerides, 548
 rat bile acids, 786
 rat heart lipids, 771
 rat heart phospholipids, 541
 rat liver, lung, phosphatides, N-methyl substituted, 81
 reverse phase of avocado fatty acids, 850
 separation of plasma lipids, 493
 of sesquiterpene triols, 928
 snail lipids, 798
 solvent systems for plasma lipids, 493
 of sphingolipids, 1009
 spin-labeled neutral lipids, 726
 sponge fatty acids, 244
 sterols, methylsterols and triterpene alcohols, 173
 of sterols in vegetable oil, 921
 substituted dioxanes from alk-1-enyl glycerols, 208
 sulfatides, 865
 toad lipids, 27
 α -tocopherol, 855
 tumor lipids, 830
 vegetable oil non-saponifiables, 659
Chromatography, thin-layer, argentation, diacylglycerols, 481
M. rouxi fatty acids, 285
 microsomal lipids, 196
 monoenoic fatty acids, 269
 rabbit renal papillary triglycerides, 835
 rat testis prostaglandins, 397
 sponge fatty acids, 244
Chromatography, thin-layer, oxalate, microsomal lipids, 196
Chromatography, thin-layer, reversed phase, linolenic acid autoxidation products, 346
Chrysophyta, sterol metabolism in, 582
Chylomicrons, rat, DDT, plasma clearance, liver, 374
 — rat thoracic duct, DDT, triglyceride core, transport, 374
Cinnamate, in *Celastrus orbiculatus* seed oil, 928
Citellus lateralis, phospholipid composition, 993
Citrate, meal-fed rat, appetite, food consumption, weight, lipid accumulation, 129
Citrostadienol, isolation and characterization in oilseeds, 173
Clionasterol, in a nonphotosynthetic diatom, 279
Clionasterol, glycoside, in a nonphotosynthetic diatom, 279
Clofibrate. See Ethyl-p-chlorophenoxyisobutyrate
Clostridium perfringens, phospholipase C, inhibition by lecithin analogs, 77
Coagulation, blood, lipids and, 68
Codeine demethylase, rat liver, dietary cyclopropene fatty acids, 314
Colestipol, serum cholesterol, triglycerides, atherosclerosis, 97
Column chromatography. See Chromatography, column
Coniferophytia, sterol metabolism in, 582
Contraceptives, oral, plasma triglycerides, cholesterol, lipid metabolism, PHLA, 117
 — α -tocopherol interrelationships, rat plasma, 91
 — α -tocopherol, plasma lipoproteins, 91
 — α -tocopherol, tissue cholesterol, 91
Copepods, *Euchaeta japonica*, wax ester and fatty acid profiles, 891
Copepods, changes in lipid composition during development, 891
 — lipid composition, 891
Coprostanol, in rat feces, 1024
Corn oil, content of α -tocopherol, γ -tocopherol, 860
 — dietary, effect on bile acid metabolism, 1024
 — dietary, effect on 7-dehydroxylation of bile acids, 1024
 — dietary, effect on formation of coprostanol, 1024
 — dietary, rats, cold stress, mortality, 365
Corticosteroidogenesis, effect of dietary fat, 191
Corticosteroids, synthesis in rat adrenals, 191
Countercurrent distribution, methyl esters of *Saussurea candicans*, 640
Cow, mammary gland, phosphatidyl choline biosynthesis, 748
Cow, milk, triglyceride analysis, 713
CPIB. See Ethyl-p-chlorophenoxyisobutyrate
Crepenylic acid, alternative source, 640
 — chemical reactions, oil, 640
 — in oilseeds of *Saussurea candicans*, 640
 — purification by countercurrent distribution, 640

SUBJECT INDEX

- C**
- Crystallization, fractional, campesterol purification, 333
 - Culex quinquefasciatus*, sphingolipids of, 1009
 - Culex tritaeniorhynchus*, sphingolipids of, 1009
 - Culture media, for mosquito cells, 1009
 - Cultured cells, incorporation of fatty acids, 248
 - metabolism of fatty acids, 248
 - triglyceride and phospholipid biosynthesis, 141
 - Cyanophyta*, sterol metabolism in, 582
 - Cyanopropylphenylsiloxane*, glycerols, monoacyl, monalkyl monoalkenyl, GLC, 382
 - Cycadophyta*, sterol metabolism in, 582
 - Cycloartanol*, 24-methylene-, isolation and characterization in oil seeds, 173
 - Cycloartenol*, isolation and characterization in oilseeds, 173
 - Cycloartenol*, isolation and characterization in oilseeds, 173
 - Cytchrome P-450**, in rat liver, 899
 - Cytoplasm**, of avocado, fatty acid biosynthesis, 850
 - Cytosol**, swine aorta, esterification, short chain alcohols, palmitate, 86
- D**
- DDT**, absorption, transport, plasma clearance, rat, 374
 - thoracic duct chylomicrons, triglyceride core, high density lipoproteins, 374
 - DEAE-cellulose**, for purification of gangliosides, 641
 - Decay time, peroxidized lipids, fluorescence, 328
 - 7-Dehydrocampesterol**, preparation, bromination, dehydrobromination, 333
 - Dehydrogenase-isomerase**, of α -ecdysone, 971
 - 7-Dehydrostigmasterol**, chemical synthesis, 623
 - physical properties, 623
 - 7-Dehydrostigmasterol acetate**, intermediate in chemical synthesis of 7-dehydrostigmasterol, 623
 - Delipidation**, of acyltransferase, 905
 - Demercuration, of methoxyacetoxymercuri derivatives, 135
 - Demyelination**, cholesterol ester deposition in brain, 440
 - Deoxycholic acid**, metabolism in rat, 844
 - metabolism in rats, sex differences, 786
 - in rat feces, 1024
 - Dermacentor andersoni Stiles** (*Ixodidae*). See Tick
 - Dermatophyte**, phospholipid composition, 264
 - Δ^6 -Desaturase, liver, rat, Novikoff hepatoma, microsomes, assay, 360
 - Desaturase, hepatic microsomal**, products from stearyl CoA, 196
 - Desaturase, stearoyl-CoA**, cofactor requirements, 269
 - in Morris hepatoma 5123C and 7800, 795
 - mouse mammary microsomes, 269
 - stimulation by glycerol phosphate, 269
 - Desaturation**, of fatty acids in milk, 876
 - of linoleic acid, 489
 - of stearic acid, 489
 - 4-Demethyl sterols**, in fungal spores, 575
 - Detylitylation**, glycerides, triphenylmethyl, liquid chromatography, 55
 - Deuteriation, of fatty acid, apparatus, 913
 - Deuterium, incorporation into phytosterols, 582
 - use with saturated fatty acids, 913
 - Diacylglycerol**, products of lipoprotein lipase hydrolysis, 481
 - products of pancreatic lipase hydrolysis, 481
 - Diatom**, *N. alba*, sterols, aliphatic hydrocarbons and sterols, 279
 - 3,5-Dibromosalicylhydroxamic acid**, serum cholesterol, triglycerides, atherosclerosis, 97
 - Dibutyl cyclic adenosine 3'5'-monophosphate**, in brain lipid metabolism, 314
 - 2,10-Dichloro-12H-dibenzo[d,g]-[1,3]-dioxocin-6-carboxylic acid methyl ester**, serum cholesterol, triglycerides, atherosclerosis, 97
 - Dichlorodiphenyltrichloroethane**. See DDT
 - Diesters, alkane-2,3-diol**, chicken preen gland, effect of age, 290
 - Diet**, effect on triglyceride structure, rabbit, 201
 - ethanol induced fatty liver, 103
 - rat, effect on cholesterol metabolism, 962
 - Diethyl ether**, purification, 272
 - Digalactosyl ceramide**, human thyroid, levels in male and female, 819
 - Digestion**, rat intestinal lumen, 765
 - role of biliary phospholipids, 765
 - Digitanol glycosides**, in plant, 626
 - Diglyceride**, in lactating rat mammary gland, 229
 - phosphatidyl ethanolamine biosynthesis in brain, 738
 - Diglycerides**, absorption in rat, 940
 - acyl migration, detitration, 55
 - analysis by GLC, 481
 - in annelida, 1036
 - in cultivated barley, 561
 - in head oil of pilot whale, 461
 - in hepatoma cells, 979
 - in milk, synthesis of, 905
 - in *Nitzschia closterium*, 1000
 - synthesis, detitration, 55
 - synthesis in milk, 876
 - Diglycerides**, α , detitration, 833
 - α, β , mixed acid, synthesis, 833
 - 1,2-Diglycerides**, absorption from gut, 940
 - Dihydroxyacetone phosphate**, extraction by n-butanol, 502
 - extraction by various solvents, 502
 - 8, 16-Dihydroxyhexadecanoic acid**, potato suberin, 682
 - Dimers**, from homolytic decomposition of linoleic hydroperoxides, 696
 - linoleic acid autoxidation products, 346
 - N,N-Dimethyl octadec-9-enamide**, mass spectra, 443
 - N,N-Dimethylaminoethanol**, in rat liver, lung phosphatides, 81
 - Diols**, from homolytic decomposition of linoleic hydroperoxides, 696
 - Diols**, alkane-2,3, chicken preen glands, effect of age, 290
 - Diols**, wax, *P. oleacea*, 664
 - Dipalmitoyl dihydroxyacetone phosphate**, extraction, 502
 - Dispersions**, phospholipid, effect of proteins, 221
 - effect of salts, 221
 - ether extraction, 221
 - Docos-13-enoic acid**, effect on rat heart mitochondrial cardiolipin, 771
 - Docos-7,10,13,16-tetraenoic acid**, in renal papillae, 835
 - Docosahexaenoic acid**, ^{13}C , incorporation into rat hepatic lipids, 809
 - Docosenoic acid**, dietary, rats, cardiac fatty acids, histopathology, cold stress, mortality, 365
 - Dog**, MCT and methylene blue perfusion, 781
 - renal interstitial cells, lipid droplets, 835
 - Dogfish**, acyl transfer reaction in serum of, 498
 - glycerolipids, 975
 - metabolism of lipid in, 975
 - Dogfish, serum**, ether linked glycerolipids in, 975
 - glycerolipids, 498
 - incubation technique, 975
 - lipid composition, 498
 - lipid metabolism, 975
 - Dolphin, erythrocytes**, capillary GLC of fatty acids, 254
 - Drugs**, detoxification, liver, ethanol intake, 103
 - ethanol induced fatty liver, treatment, 103
 - Drugs, hypocholesterolemic**, Serum, cholesterol, triglycerides, lipid metabolism, atherosclerosis, 97
- E**
- E.C. 1.13.1.13.** See Lipoxygenase
 - E.C. 2.3.1.15.** See Glycerophosphate acyltransferase
 - E.C. 3.1.3.4.** See Phosphatidate phosphohydrolase
 - E.C. 3.1.4.3.** See Phospholipase C
 - E. coli**, cell fractionation, ultrasonication, ultracentrifugation, 419
 - fatty acids, alcohols, hydrocarbons, culture medium, glucose, oxygen, 322
 - fatty alcohol biosynthesis, fatty aldehyde reduction, 419
 - fatty aldehyde reductase, isolation, assay, 419
 - growth, maintenance, 419
 - Earthworms**, *Allolobophora caliginosa*, isoprenoid fatty acids, 825
 - lipid composition, column chromatography, TLC, 363
 - *Lumbricus rubellus*, isoprenoid fatty acids, 825
 - triglyceride lipolysis, storage, 363
 - Ecdysone**, high-pressure-liquid chromatography of, 971
 - isomers in tobacco hornworm, 971
 - α -Ecdysone, conversion to 3α -epimer, 971
 - tobacco hornworm, metabolism, 971
 - Ecdysone dehydrogenase**, assay method, 971
 - in tobacco hornworm, 971
 - Enovid E**. See Contraceptives, oral
 - Eggs**, *Euchaeta japonica*, astaxanthin carotenoprotein, 891
 - desmosterol content, 891
 - wax ester and fatty acid profiles, 891
 - Eggs, tick**, fatty acid profile, GLC, IR, MS, 368
 - EGSS-X**. See Ethylene glycol-succinate siloxane
 - Electrophoresis**, gel, human plasma lipoproteins, 15
 - rat plasma lipoproteins, 35
 - Elongation time**, capillary GLC of fatty acids, 254
 - Embryo**, chick, phospholipids, fatty acid profile, brain, heart, liver, 429
 - toad, lipid composition, fatty acid profile, phospholipid synthesis, 27
 - Endoplasmic reticulum**, ethanol induced fatty liver, structure, function, 103
 - Enzymes**, lipolytic, purification by gel-filtration, 548
 - of rat liver, sterol metabolism, 962
 - Epidermis**, hamster flank organ, acetate, lipid synthesis, 43
 - lipids, TLC, autoradiography, hamster flank organ, 43
 - Epinephrine**, lipolysis, ascites cells, 338

- Epoxydation, of octadecenones, 272**
- Epoxides, from homolytic decomposition of linoleic hydroperoxides, 696**
- 9,10-Epoxy-18-hydroxyoctadecanoic acid, in potato suberin, 682**
- Epoxyoctadecenoates, cleavage with periodic acid, 272**
- Ergost-5-enol, metabolism in *Chlorella*, 1014**
- Ergostanol, chemical synthesis, rapid method, 625**
- physical properties, 625
- Ergosterol, mechanism of hydrogenation from ergosteryl acetate, 625**
- Ergosteryl acetate, hydrogenation to ergostanol, 625**
- Erucic acid, dietary, rats, cardiac fatty acids, histopathology, cold stress, mortality, 365**
- effect on rat heart cardiolipin, 771
- Erythrocyte ghosts, human, lipids, loss in aqueous solution, membrane structure, 49**
- preparation, lipid composition, TLC, 49
- Erythrocyte hemolysis, α -tocopherol, plasma, oral contraceptives, 91**
- Erythrocytes, dolphin, capillary GLC of fatty acids, 254**
- human, lipids, loss in aqueous solution, membrane structure, 49
- porcine, exchange of plasma and erythrocyte phospholipids, 214
- rat, glycerol induced hemolysis, dietary cyclopene fatty acids, 314
- See Red blood cells
- Esox lucius, fatty acid profile, 1004**
- Essential fatty acids, deficiency, epididymal fat cells, fatty acid profile, 1**
- deficiency, epididymal fat cells, lipid metabolism, 1
- Esterification, cholesterol, rat liver, glucose, dietary cholesterol, ethanol administration, 353**
- cholesterol, swine aorta, inhibition by ethanol, 86
- short chain alcohols, palmitate, palmitoyl CoA, 86
- short chain alcohols, by swine aorta, 86
- by swine aorta, pH dependence, alcohol concentration, 86
- Estrogens, in plants, 626**
- plasma triglycerides, cholesterol, lipid metabolism, PHLA, 117
- Ethanol, cholesterol esterification, swine aorta, inhibition, 86**
- dietary fat deposition, fat mobilization, 103
- effect on lipid metabolism in rats, 899
- effect on microsomes of rat, 899
- fatty liver, lipid metabolism, serum lipoproteins, 103
- ingestion, chronic in rat, 899
- ingestion, effect on acyl-CoA:carnitine acyltransferase, 520
- ingestion, effects on heart and liver mitochondria, 520
- ketonemia, acidosis, hyperuricemia, 103
- liver microsomes, structure, function, enzyme activity, 103
- liver mitochondria, structure, function, enzyme activity, 103
- liver triglyceride synthesis, fed, fasted rats, 57
- metabolism in liver, drug detoxification, 103
- plasma free fatty acid utilization, triglyceride synthesis, rat liver, 57
- rat liver, cholesterol esterification, ester hydrolysis, 353
- Ethanolamine, phosphoglycerides in mouse brain, 450**
- See Aminoethanol
- Ethanolamine-CDP, plasmalogen biosynthesis in brain, 738**
- Ethanolaminophosphotransferase-EC 2.7.8.1, rabbit brain cortex, 738**
- Ether, diethyl, purification, 272**
- Ethers, glycerol, method for quantification, 208**
- in rat heart, liver, testes, brain and tumors, 208
- Ethionine, dietary, rat bile acids, sex differences, 407**
- Ethyl-p-chlorophenoxyisobutyrate, serum cholesterol, triglycerides, atherosclerosis, 97**
- 24-Ethyl- Δ^5 -cholestene, chromatography, mass spectrum, 471**
- identification in dry skim milk, 471
- Ethylene glycol-succinate siloxane, glycerols, monoacyl, monoalkyl, GLC, 382**
- Etioplasts, metabolism of sterol esters in, 613**
- Eugenolphena, sterol metabolism in, 582**
- Eumycota, sterol metabolism in, 582**
- Extraction, tissue lipids, apparatus, 938**
- F**
- Fasting rat, liver triglyceride synthesis, ethanol administration, 57**
- plasma free fatty acid utilization, triglyceride synthesis, rat liver, ethanol, 57
- Fat, dietary, ethanol induced fatty liver, 103**
- oxidized, effect on LCAT activity, 1018
- Fat absorption, in rat and hamsters, 940**
- Fat cells, epididymal, cellularity, EFA deficiency, 1**
- fatty acid profile, EFA deficiency, 1
- glucose utilization, lipogenesis, lipolysis, EFA deficiency, 1
- lipid metabolism, EFA deficiency, 1
- Fat mobilization, adipose tissue, ethanol intake, 103**
- Fatty acid, acetylenic, mass, infrared, UV spectra, 506**
- ozonolysis, 506
- Fatty acid, methyl esters, preparation of, 1004**
- Fatty acid, tricarboxylic, methyl branched, tick eggs, GLC, IR, MS, 368**
- Fatty acid desaturase, liver, rat, Novikoff hepatoma, microsomes, assay, 360**
- Fatty acid oxidation, liver, ethanol intake, 103**
- Fatty acid profile, *A. uncinatum* phospholipids, 264**
- acyl phosphatidylglycerol, 235
- adult pig, cerebellar cortex membrane fractions, 756
- adult pig, whole brain cortex membrane fractions, 756
- avocado flesh oil, 659
- avocado seed oil, 659
- of barley, 561
- bis-(monoacylglyceril) phosphate, 235
- bovine milk, 191
- bovine thyroid, 870
- brain mitochondrial lipids, 957
- of *Brassica campestris*, 455
- cabbage lipid fraction, 299
- carcass of pigs, 536
- *Celastrus orbiculatus* seed oil, 928
- chick embryo, phospholipids, brain, heart, liver, 429
- chicken uropygial gland diesters, 290
- cholesterol esters of thyroid, 870
- coconut oil, 659
- cottonseed oil, 659
- culture media for hepatoma cells, 979
- cultured myocardial cells, 541
- developing rat liver, 809
- of dietary lipids of rat, 1030
- *E. coli*, culture medium, glucose, oxygen, 322
- effect of age, sex and diet in pigs, 536
- epididymal fat cells, EFA deficiency, 1
- *Esox lucius*, 1004
- fetal calf serum, 541
- fetal pig cerebellar membrane fractions, 756
- of fungus, 952
- glycolipids of barley, 561
- hepatoma cells, 979, 987
- human hepatoma neutral lipids, 707
- human hepatoma phospholipids, 707
- human hepatoma total lipid, 707
- human thyroid, individual glycosphingolipids, 819
- hydrogenated soybean oil, 191
- hyperlipoproteinemia, type IV, 937
- individual glycosphingolipids, porcine leucocytes, 651
- individual glycosphingolipids, porcine thymus, 651
- individual phospholipids, adult and embryonic lung, 827
- lettuce, 798
- lipids from Purina Chow, 191
- lipids, toad oocyte, embryo, blastula, 27
- liver lipids, rat, Novikoff hepatoma, 360
- liver of pigs, 536
- *M. rouxi* diglycerides, 285
- *M. rouxi* lipids, 285
- *M. rouxi* polar lipids, 285
- *M. rouxi* triglycerides, 285
- marine copepods, eggs of, 801
- mesenchymal cells, 541
- milk, baboon, 675
- milk, bovine, 675
- milk, human, 675
- milk, monkey, *C. atys*, 675
- milk, monkey, *M. fascicularis*, 675
- milk, monkey, *M. mulatta*, 675
- milk, monkey, *M. nemestrina*, 675
- milk, monkey, *M. radiata*, 675
- milk, monkey, *M. speciosa*, 675
- milk, rat, 1030
- milk, squirrel monkey, 675
- miniature pigs, 536
- mitochondrial lipids, 957
- of mosquito sphingolipids, 1009
- moss *Ceratodon purpureus*, 506
- of *Mucor rouxi*, 952
- myelin, 450
- neutral lipids of barley, 561, 804
- of *Nitzschia closterium*, 1000
- nonphotosynthetic diatom, 279
- of Northern Pike, 1004
- olive oil, varieties, 659
- phospholipase A-induced cholesteryl esters, rat brain, 440

- phospholipids of barley, 561
- phospholipids of brain mitochondria, 957
- phospholipids of thyroid, 870
- rabbit adipose, effect of dietary fat, 201
- rabbit hepatic triglycerides, effect of dietary fat, 201
- rabbit plasma triglycerides, effect of dietary fat, 201
- rat adipose tissue, liver, dietary cyclopropene fatty acids, 314
- rat adrenals, hydrogenated fat, 191
- rat adrenals, milk fat, 191
- rat adrenals, Purina Chow, 191
- rat brain, 450, 967
- rat heart, 541
- rat heart mitochondria phospholipids, 771
- rat heart mitochondria triglycerides, 771
- rat liver, lung, phosphatides, N-methyl substituted, 81
- rat lung phospholipids, 63
- rat milk, 1030
- rat superior cervical ganglion lipid fractions, 307
- safflower seed oil, 201
- snail neutral lipids, 798
- snail phospholipids, 798
- soybean oil, 659
- sphingomyelin of thyroid, 870
- sphingomyelin in 10 tumors, 830
- sterol esters of hepatoma cells, 979
- synaptosomes, 450
- Tetrahymena pyriformis**, 554
- thermophilic bacteria, 476
- thyroid, 870
- tissue cholesterlyl esters, α -tocopherol, oral contraceptives, 91
- total glycolipids of 8 varieties of barley, 804
- total glycosphingolipids, porcine lymph nodes, 651
- total phospholipids of 8 varieties of barley, 804
- triglycerides of hepatoma cells, 979
- of triglycerides in renal papillae, 835
- triglycerides of thyroid, 870
- whale head oil, 461
- Fatty acid synthesis**, kinetics of [^{14}C]alanine and [^3H]water incorporation, 121
- liver, ethanol intake, 103
- Fatty acid synthetase**, in avocado, 850
- in Morris hepatoma 5123C and 7800, 795
- Fatty acids**, acylation of monoglycerides, 940
- age effects in *Mucor rouxi*, 952
- algae, 1000
- analyses from fish testes, liver, 1004
- analysis of monoenoic in hepatoma, 987
- in avocado, 850
- biosynthesis in avocado, 850
- capillary GLC of methyl esters, 254
- chain elongation in avocado, 850
- desaturation in goat milk, 876
- desaturation in hepatoma, 489
- elongation in brain mitochondria, 957
- elongation and desaturation in hepatoma cell culture, 141
- esterification in mammary gland, 905
- in hepatoma culture media, 979
- human platelet aggregation, 68
- incorporation into milk lipids, 876
- incorporation, release, profile, ascites cells, assay, 338
- isolation from fish testis, liver, 1004
- mass spectra, 443
- metabolism in cultured hepatoma cells, 141
- metabolism in fungi, 943
- metabolism in rat brain, 957
- metabolism in *Tetrahymena pyriformis*, 554
- in minimal deviation hepatoma, 979
- oxygenation, reversible *in vivo*, 916
- rat heart, docosenoic acid, rapeseed oil, histopathology, cold stress, mortality, 365
- rat lung phospholipids, biosynthesis, 63
- rat lung phospholipids, distribution, 63
- reverse-phase TLC, 850
- snake skin lipids, 8
- stereospecific distribution human plasma triglycerides, 937
- temperature effects in *Mucor rouxi*, 952
- unidentified in Northern Pike, 1004
- unidentified, from pike, mass spectra, 1004
- Fatty acids, acetylene**, in moss, 506
- Fatty acids, branched**, concentration by mercuric acetate adduct formation, 669
- concentration by urea adduct formation, 669
- from earthworm neutral lipids, 825
- synthesis from isovaleric acid, 564
- in *Tetrahymena pyriformis*, 554
- in thermophilic bacteria, 476
- in whale oil, 461
- Fatty acids, cyclopropene**, assay, Halphen reaction, GLC, 314
- dietary, rat, adipose tissue, liver, fatty acid profile, 314
- dietary, rat erythrocyte hemolysis, liver mitochondrial swelling, 314
- dietary, rat, growth, organ weight, histopathology, 314
- dietary, rat microsomal codeine demethylase, 314
- fatty acyl desaturase, 314
- Fatty acids, dicarboxylic**, potato suberin, 682
- Fatty acids, dimethyl**, ovine subcutaneous triglycerides, 669
- Fatty acids, epoxy**, potato suberin, 682
- Fatty acids, essential**, deficiency, effect on mouse brain, 450
- Fatty acids, free**, in annelids, 1036
- in dogfish serum, 498
- earthworms, triglyceride lipolysis, storage, 363
- effect on solubility of α -tocopherol and absorption, 855
- oxygenation of, 916
- plasma, fed, fasted rats, ethanol administration, 57
- in rat serum, 1018
- in thyroid, 870
- Fatty acids, hydroxy**, potato suberin, 682
- Fatty acids, isoprenoid**, from earthworm neutral lipids, 825
- Fatty acids, methyl esters**, capillary GLC, 254
- concentration for GLC, 729
- Fatty acids, monoenoic, cis and trans** double bond location, 272
- location of double bonds, 185
- Fatty acids, monomethyl**, ovine subcutaneous triglycerides, 669
- Fatty acids, oxo**, chain lengths in milk fat, 883
- formation of 2,4-dinitro-phenylhydrazones, 883
- in glycerides of milk fat, 883
- hydrogenation, 883
- identification in milk fat, 883
- isolation from milk fat, 883
- isomers, 883
- mass spectra, 883
- methyl ester formation, 883
- of milk fat, 883
- partition chromatography, 883
- position of double bonds, 883
- reference standards, 883
- regeneration from DNPs, 883
- structure, 883
- TLC separation, 883
- unsaturated, 883
- Fatty acids, oxygenated**, decomposition of linoleic hydroperoxides, 696
- Fatty acids, polyunsaturated**, brain lipids, 248
- content in rat tissues, 860
- metabolism, 450
- in mouse brain, 450
- Fatty acids, saturated**, deuteration of, 913
- Fatty acids, trans**, of goat milk, 876
- Fatty acids, trimethyl**, ovine subcutaneous triglycerides, 669
- Fatty acids, unsaturated**, metabolism, 916
- metabolism in hepatoma, 987
- in milk, 1030
- in *Mucor rouxi*, 952
- oxidation *in vitro*, 916
- oxygen effect on UV spectra, 916
- regulation of oxidation by respiration, 916
- UV spectra, 916
- Fatty acyl desaturase**, dietary cyclopropene fatty acids, 314
- Fatty alcohol profile**, *E. coli*, culture medium, glucose, oxygen, 322
- Fatty alcohols**, *E. coli*, biosynthesis from fatty aldehydes, 419
- potato suberin, 682
- Fatty aldehyde reductase**, *E. coli*, isolation purification, assay, molecular weight, 419
- Fatty aldehydes**, NADPH-linked reductase, fatty alcohol biosynthesis, *E. coli*, 419
- Fatty liver, ethanol induced**, choline, carnitine, 103
- dietary protein, carbohydrate, fat, minerals, vitamins, 103
- drug treatment, 103
- lipid metabolism, lipoprotein release, 103
- Fecal lipids**, rat, analysis, 1024
- Feces**, steroid excretion in rat, 844
- Fetal calf serum**, fatty acid profile, 541
- Fetus, rat**, phospholipid PUFA levels in liver, 809
- triglyceride PUFA levels in liver, 809
- Fibroblasts**, sterol metabolism, 526
- Fish**, erythrocytes, capillary GLC of fatty acids, 254
- fatty acid profile, 1004
- Flank organ, hamster**, fractionation, sebaceous glands, epidermis, 43
- sebaceous glands, epidermis, lipid synthesis, 43

Flavobacterium thermophilum, fatty acid profile, 476
Fluorescence, peroxidized lipids, decay time, polarization, 328
 — peroxidized lipids, pH, chelating agents, 328
 — peroxidized microsomes, mitochondria, lipofuscin, 328
 — polymerized malonaldehyde, 328
Food consumption, rat, meal-fed, effect citrate, (-)-hydroxycitrate, 129
Formic acid, absence in oil of *Celastrus orbiculatus*, 928
Fungal spores, lipid composition, 575
Fungi, conversion of keto to hydroxy acids in, 943
 — fatty acid metabolism in, 943
 — mechanisms of sterol biosynthesis, 582
 — sterol composition, 575
Fungisterol, in fungal spores, 575
Fungus, fatty acid profile, 952

G

Galactosyl ceramide, human thyroid, levels in male and female, 819
 — isolation, column chromatography, 358
Galactosyl diglycerides, glycolipids of 8 varieties of barley, 804
Galactosyl sphingosine, preparation, 358
Gall bladder, trout, bile acids, 945
Ganglion, rat superior cervical, lipid components, fatty acid profile, 307
 — lipid fractionation, multiple development TLC, 307
Gangliosides, bound to protein, 641
 — extraction with Triton X-100, 641
 — human hepatoma, 707
 — human thyroid, levels in male and female, 819
 — purification on hydroxylapatite, 641
 — in rat brain, 641
 — in synaptosomes, microsomes, myelin, mitochondria of rat brain, 641
Garden balsam seed, sterols, methylsterols and triterpene alcohols, 173
Gas-liquid chromatography. See Chromatography, gas-liquid
Gastropods, effect of excessive oleic acid intake in snail, 798
Gel filtration, human plasma lipoproteins, 15
Genetic, plant, lipid content of 8 varieties of barley, 804
Geotrichum candidum, extracellular lipase, 149
Ginkgophytia, sterol metabolism in, 582
Glia, rabbit cortex, biosynthesis of ethanolamine plasmalogens, 738
Globoside, human thyroid, levels in male and female, 819
 — porcine thymus, leucocytes and bone marrow, 651
Glucagon, lipolysis, ascites cells, 338
Glucose, dietary, cholesterol esterification, ester hydrolysis, ethanol induced fatty liver, 363
 — *E. coli*, culture medium, fatty alcohols, hydrocarbons, 322
 — lipolysis, ascites cells, 338
U-¹⁴C-D-Glucose, in brain lipid metabolism, 514
D-Glucose-U-C14, incorporation in rat lung phospholipids, fatty acids, 63
Glucose utilization, epididymal fat cells, EFA deficiency, 1
Glucosyl ceramide, human thyroid, levels in male and female, 819
 — isolation, column chromatography, 358
 — porcine thymus, leucocytes and bone marrow, 651
Glucosyl sphingosine, preparation, 358
Glyceride structure, non-random, 229
 — in lactating rat mammary gland, 229
Glycerides, in algae, 1000
 — separation on TLC, 548
 — triphenylmethyl, detriplylation, liquid chromatography, silicic acid-boric acid, 55
Glycerol, monoacyl, monoaalkyl, monoalkenyl, acetates, silyl ethers, GLC, 382
 — monoacyl, preparation, triglycerides, Grignard reagent, 382
 — monoalkenyl, preparation, plasmalogens, LiAlH₄, 382
 — role in biosynthesis of milk lipids, 876
³H-Glycerol, incorporation, rat plasma triglycerides, lipoproteins, 35
Glycerol ethers, in mouse brain, 450
Glycerolipids, synthesis in goat milk, 876
 α -Glycerophosphate, synthesis in milk, 876
Glycerophosphate acyltransferase, in mammary gland, 905
 — rabbit heart mitochondria, specificity, 391
Glycerophosphatides, choline, rat brain, liver, biosynthesis, effects of trypsin, 72
 — ethanolamine, rat brain, liver, biosynthesis, effects of trypsin, 72
Glycerol ethers, in goat milk, 876
 — synthesis, 496

Glycine, conjugates, bile acids, trout, 945
Glycolipids, biochemistry, metabolism, 626
Glycolipids, in barley, 561
Glycosphingolipids, human hepatoma, 707
 — human thyroid, levels in male and female, 819
 — porcine thymus, leucocytes and bone marrow, 651
 — role in membrane interactions, 645
Genetophyta, sterol metabolism in, 582
Goat, milk, triglyceride biosynthesis in milk, 876
Gramisterol, isolation and characterization in oilseeds, 173
Granulocytes, blood, glycosphingolipids in swine, 651
Grignard reaction, triglycerides, monoglycerides, 382
Ground squirrels, effects of hibernation on heart muscle phospholipids, 993
 — membrane fluidity, 993
 — phospholipid composition, heart, 993
Growth, rat, dietary cyclopropene fatty acids, 314
Growth rate, hepatoma, and fatty acid desaturation, 489
Guaniidine antidiuretics, serum cholesterol, triglycerides, atherosclerosis, 97
Guinea pig, effect of dietary cholesterol on bile acid metabolism, 731

H

Halogenate. See 2-Acetoamidoethyl (p-chlorophenyl) (m-trifluoro-methylphenoxy) acetate
Halphen reaction, cyclopropene fatty acids, assay, 314
Hamster, flank organ, fractionation, sebaceous glands, epidermis, 43
 — flank organ, sebaceous glands, epidermis, lipid synthesis, 43
 — mono- and diglyceride absorption in, 940
Hamster, amelanotic, melanoma, alkyl and alk-1-enyl glycerolipids, 208
Head oil, lipid composition of whale, 461
Heart, chick embryo, phospholipids, fatty acid profile, development, 429
 — mitochondria, carnitine acyltransferase, 520
 — mitochondria, effect of chronic alcohol ingestion, 520
 — muscle, ground squirrel, hibernating, 993
 — muscle, phospholipid composition, 993
 — pig, bile acids, 294
 — rabbit, mitochondrial glycerophosphate acyl transferase, specificity, 391
 — rabbit, mitochondrial monoacylglycerol-3-phosphate synthesis, specificity, 391
 — rat, alkyl and alk-1-enyl glycerolipids, 208
 — rat, cultured myocardial cells, lipid composition, 541
 — rat, docosenoic acid, rapeseed oil, fatty acids, histopathology, 365
 — rat, effect of erucic acid, 771
 — rat, fatty acid profile, 541, 1032
 — rat, myocardial alterations after oil feeding, 1032
 — rat, phospholipid composition, 541
 — rat, weight, dietary cyclopropene fatty acids, 314
 — ratio tocopherol:PUFA, 860
Hematoside, human thyroid, levels in male and female, 819
Hemolysis, erythrocyte, α -tocopherol, plasma, oral contraceptives, 91
 — rat erythrocyte, glycerol induced, dietary cyclopropane fatty acids, 314
Hepat, liver, microsomal desaturation of stearyl CoA, 196
Hepatoma, human, lipid and fatty acid composition, 707
 — linoleic acid desaturation, 489
 — rat, fatty acid synthetase and stearoyl-CoA desaturase, 795
 — rat, lipid metabolism, composition, 526
 — stearic acid desaturation, 489
 — sterol metabolism, 526
Hepatoma, Morris, triglyceride and phospholipid biosynthesis, 141
Hepatoma, Novikoff, rat liver, fatty acid profile, 360
Hepatoma 7228C, triglyceride and phospholipid biosynthesis, 141
Hepatoma cells, cultured lipids in, 979
 — effect of media on lipid composition, 979
 — isomeric fatty acids in, 987
 — media lipid composition, 979
 — monoenoic fatty acids in, 987
 — neutral lipids in, 979
 — phospholipid metabolism, 987
Heptadecanoic acid, 4,8-dimethyl, ovine adipose tissue, 669
Herring oil, dietary, rats, cold stress, 365
 — cis-5, cis-9-Hexacosadienoic acid, sponge lipids, 244
 — cis-5, cis-9, cis-19-Hexacosatrienoic acid, sponge lipids, 244
Hexadecanol, biosynthesis, *E. coli*, assay, GLC, 419
 — NADPH-linked reductase, fatty alcohol biosynthesis, *E. coli*, 419

2-Hexadecyl-1,3-dioxane, in alk-1-enyl glycerol analysis, 208
Hexanal, from linoleic acid, peanut lipoxygenase, GLC, 302
Histopathology, rat heart, docosenoic acid, rapeseed oil, 365
 — rat tissues, dietary cyclopropene fatty acids, 314
Hormones, gonadal, plasma triglycerides, cholesterol, lipid metabolism, PHLA, 117
Hornworm, tobacco, ecdysone metabolism in, 971
 — enzyme systems for ecdysone in, 971
Human, hepatoma, lipid and fatty acid composition, 707
 — liver, composition of hepatic lipids, 707
 — liver, diethylaminoethoxyhexester lipidosis, 235
 — lung, embryonic and adult, phospholipid and fatty acid content, 827
 — milk, triglyceride analysis, 713
 — normal and hyperlipemic plasma, stereospecific analysis of triglycerides, 937
 — plasma, nonanal-9-oic acid metabolism, 512
 — plasma, triglycerides, stereospecific structure, 937
 — red blood cells, nonanal-9-oic acid metabolism, 512
 — thyroid, glycosphingolipid levels in male and female, 819
Hyaline membrane disease, embryonic human lung lipids, 827
Hydrocarbon profile, *E. coli*, culture medium, glucose, oxygen, 322
Hydrocarbons, in head oil of pilot whale, 461
 — snake skin lipids, 8
 — wax, *P. oleracea*, 664
Hydrogen bonding, role in membrane interactions, 645
Hydrolysis, cholesterol esters, rat liver, glucose, dietary cholesterol, ethanol administration, 353
 — monooxylglycerol-3-phosphate, phosphatidate phosphohydroflosate, 391
 — phospholipase A, distribution rat lung phospholipids, 63
Hydroperoxides, effect on LCAT activity, 1018
 — formation *in vitro*, 916
 — linoleic, homolytic decomposition products, 696
15-Hydroperoxy eicosatetraenoic acid. See Arachidonic acid peroxide
Hydrophobic core, in membrane model, 645
Hydroxy fatty acids, in potato tuberin, 682
Hydroxy methyl glutaric CoA reductase, activity in intestine, 940
 (-)-**Hydroxycitrate**, chronic versus acute administration, effects on lipogenesis, 121
 — effect on accumulation of lipid, rat, 121
 — effect on *in vivo* and *in vitro* hepatic lipogenesis, rat, 121
 — effect on lipogenesis, pair-feeding, 121
 — meal-fed rat, appetite, food consumption, weight, lipid accumulation, 129
Hydroxylases, role in bile acid metabolism, 844
Hydroxylation, keto acids, mushrooms, 943
18-Hydroxyoctadec-9-enoic acid, in potato tuberin, 682
Hyodeoxycholic acid, GLC analysis, 844
Hyperinsulinemia, after MCT and methylene blue perfusion in dogs, 781
Hyperlipemia, oral contraceptives, progestins, estrogens, 117
 — serum, effect on hepatoma cells in culture, 526
 — stereospecific analysis of plasma triglycerides, 937
Hyperlipoproteinemia, Type IV, stereospecific analysis of plasma triglycerides, 937
Hyperlipoproteinemias, lipid levels in, 937
 — triglycerides, stereospecific in, 937
Hypertriglyceridemia, in human plasma, 937
Hyperuricemia, ethanol intake, 103
Hypoglycemia, after MCT and methylene blue perfusion in the dog, 781

I

Immunodiffusion, human plasma lipoproteins, assay, 15
Inorganic ions, effect on brain lipid metabolism, 514
Insect, Mexican bean beetle, *Epilachna varivestis* (Mulsant), sterols, 752
Insect, phytophagous, sterols of Mexican bean beetle, 752
Insulin, lipid metabolism, epididymal fat cells, EFA deficiency, 1
Interstitial cells, renal papilla, composition of lipid droplets, 835
Intestinal absorption, cholesterol, hypolipidemic drugs, 97
Intestinal mucosa, glyceride absorption in, 940
Intestine, rat, biliary origin of phospholipids in lumen, 765
 — lipoprotein release, orotic acid, 35
Isovaleric acid, in pilot whale head oil, 461
 — in *Tetrahymena pyriformis*, 554

J

Jugular vein, chylomicron infusion, plasma lipid clearance, 374

K

Keto acids, bioreduction, hydroxy acids, 943
 — carbonyl functions, carbon chain position, 943
 α -Keto acids, conversion to hydroxy acids, 943
 β -Keto acids, conversion to hydroxy acids, 943
 Δ -Keto-hexanoic acid, bioreduction in mushrooms, 943
 δ -Keto-hexanoic acid, bioreduction in mushrooms, 943
Ketone bodies, after MCT and methylene blue perfusion in the dog, 781
Ketone synthesis, liver, ethanol intake, 103
Ketones, methyl, snake skin, isolation, TLC, GLC, IR, NMR, mass spectrum, 8
Kidney, pig, bile acids, 294
 — rat, weight, histopathology, dietary cyclopropene fatty acids, 314
 — ratio tocopherol:PUFA, 860

L

Lactate, plasma, after MCT and methylene blue perfusion in dogs, 781
Lactobacillus casei NCIB 6375, structure of unsaturated fatty acids, 135
 δ -C₆-Lactone, in fungi, 943
Lactone formation, mushrooms, keto acids, 943
Lactosyl ceramide, human thyroid, levels in male and female, 819
 — porcine thymus, leucocytes and bone marrow, 651
Lamb, rumen, production of branched fatty acids, 669
Lambs, propionate metabolism, 669
Lamellar membrane, of avocado plastids, 850
Lathosterol, in Mexican bean beetle egg, prepupa and adult, 752
Lauric acid, deuteration of, 913
LCAT, activity in rat serum, 1018
 — analysis of activity, 1018
 — effect of hydroperoxides, 1018
 — effect of 2-mercaptoethanol, 1018
 — effect of oxidized fat, 1018
 — effect of ozonides, 1018
 — effect of vitamin E, 1018
Leaf wax, *P. oleracea*, 664
Lecithin, phytanic acid analogs, phospholipase C inhibition, 77
Leucocytes, porcine, glycosphingolipids, 651
LiAlH₄ reduction, plasmalogens, monoalkenylglycerols, 382
Light, effect on lipids of *Nitzschia closterium*, 1000
Linoleic acid, amides, serum cholesterol, triglycerides, atherosclerosis, 97
 — desaturation in hepatoma, 489
 — desaturation, *in vitro*, Novikoff hepatoma, 360
 — hydroperoxide, homolytic decomposition products, 696
 — peanut lipoxygenase, pentane, hexanal, 302
 — ultraviolet spectra, 916
Linoleic acid, ¹⁴C, incorporation into phospholipids, rat brain, liver, 72
 — ¹⁴C, incorporation into rat hepatic lipids, 809
 — gamma, in phycocyanins, 285
 — methyl ester, conversion to hydroperoxide, 1018
 — methyl ester, conversion to ozonide, 1018
 — ultraviolet spectra, 916
Linolenic acid, UV-autoxidized, dimers, aldehydes, dibasic acids, 346
 — elemental analysis, peroxide assay, TBA assay, 346
 — GLC, reversed phase, TLC, 346
 — oxidation, Ag₂O, reduction, 346
 — peroxide number, hydrogen number, 346
 — preparation, high yield, cancer research, 346
Linoleyl-CoA, phosphatidyl choline biosynthesis, 748
Lipase, in annelids, 1036
 — bacterial, *S. aureus*, 158
 — from *Geotrichum candidum*, characteristics, 149
 — from *G. candidum*, production, 149
 — from *G. candidum*, purification, 149
 — in goat milk, 876
 — lipoprotein, lipolysis of synthetic triacylglycerols, 481
 — lipoprotein, in rat adipose tissue, 548
 — mold, *G. candidum*, 149
 — mold, *Rhizopus arrhizus*, 166
 — pancreatic, lipolysis of synthetic triacylglycerols, 481
 — *R. arrhizus*, amino acid composition, 166
 — *R. arrhizus*, carbohydrate content, 166
 — *R. arrhizus*, characteristics and specificity, 166
 — *R. arrhizus*, production, 166
 — *R. arrhizus*, purification, 166

- reaction rates, 481
- specificity for unsaturated fatty acids, 149
- *Staphylococcus aureus*, characteristics and specificity, 158
- *Staphylococcus aureus*, production, 158
- *Staphylococcus aureus*, purification, 158
- Lipase I, *R. arrhizus***, 166
- Lipase II**, proteolytic degradation of Lipase I, 166
- Lipid accumulation, rat, meal-fed, effect citrate, (-)-hydroxycitrate, 129
- Lipid composition, cabbage, 299
- ethanol induced fatty liver, 353
- hamster flank organ, sebaceous glands, epidermis, 43
- toad oocyte, embryo, blastula, 27
- Lipid droplets, in interstitial cells of renal papillae, 835
- Lipid extraction, of acyl, alkyl dihydroxyacetone phosphate, 502
- of algae, 1000
- of bile acid from trout, 945
- Bligh and Dyer, dihydroxyacetone phosphate, 502
- bovine thyroid, 870
- from *Ceratulus orbiculatus*, 928
- from cultivated barley, 561
- from cultured mosquito cells, 1009
- Folch procedure, dihydroxyacetone phosphate, 502
- from fungal spores, 575
- from fungus, 952
- of gangliosides with Triton X-100, 641
- from goat milk, 876
- from incubation mixtures, 502
- from mammary microsomes, 905
- marine copepods, 891
- from milk, 883
- from moss, 506
- from *Mucor rouxii*, 952
- from mushrooms, 943
- phospholipid, diethyl ether, effect of proteins, effect of salts, 221
- of rat faeces, 844
- thyroid, 870
- from tobacco hornworm, 971
- Lipid fractionation**, multiple development micro TLC, 307
- Lipid metabolism**, cholesterol absorption, metabolism, serum cholesterol, drugs, 97
- epididymal fat cells, EFA deficiency, 1
- ethanol induced fatty liver, 103
- oral contraceptives, progestins, estrogens, 117
- rat liver, perirenal adipose tissue, small intestine, effect of (-)-hydroxycitrate, 121
- Lipid peroxidation**, ethanol induced fatty liver, 103
- fluorescent products, analysis, characterization, 328
- Lipid peroxides**, human platelet aggregation, 68
- Lipid synthesis**, acetate, hamster flank organ, sebaceous glands, epidermis, 43
- Lipidosis**, acyl phosphatidylglycerol in human liver, 235
- bis-(monoacylglycerol) phosphate in human liver, 235
- diethyldiaminoethoxyhexesterol, 235
- Lipids**, of algae, 1000
- analysis of phosphorus in samples, 491
- of Atlantic pilot whale, head oil, 461
- body, rat, gravimetric determination, 129
- of bovine thyroid, 870
- of *Brassica campestris*, 455
- of cultivated barley varieties, 561
- in dogfish serum, 493
- human erythrocytes, ghosts, loss in aqueous solution, membrane structure, 49
- liver, rat, gravimetric determination, 129
- of marine copepods, 891
- metabolism in *Chlorella*, 567
- in milk, synthesis of, 905
- of *Nitzschia closterium*, 1000
- plasma, separation by TLC, 493
- rat ganglion, transesterification, GLC, 307
- separation by TLC, 493
- skin, Florida Indigo Snake (*Drymarchon corais*), composition, 8
- skin, snake, fractionation, quantitation, 8
- synthesis in brain, 514
- thermogravimetric assay, 415
- thin layer adsorbent, extraction, apparatus, 938
- tissue, extraction, apparatus, 938
- Lipofuscin age pigment**, fluorescence, decay time, polarization, pH, chelation, 328
- Lipogenesis**, acute versus chronic administration of (-)-hydroxycitrate, 121
- effect of (-)-hydroxycitrate, 121
- epididymal fat cells, EFA deficiency, insulin, prostaglandin E₁, 1
- in vivo and in vitro effects of chronic (-)-hydroxycitrate, 121
- lactating rat mammary gland, 229
- rat liver, perirenal adipose tissue, small intestine, effect of (-)-hydroxycitrate, 121
- Lipolysis**, ascites cells, regulation, pH, temperature, 338
- drugs, serum cholesterol triglyceride, atherosclerosis, 97
- epididymal fat cells, EFA deficiency, insulin, prostaglandin E₁, 1
- G. candidum* lipase, 149
- Grignard, stereospecific analysis of yeast glycerolipids, 679
- S. aureus* lipase, 158
- Lipolytic enzymes**, purification by gel-filtration, 548
- Lipoprotein plasma**, clearance from plasma, 35
- incorporation, ³H-glycerol, 35
- oral contraceptives, progestins, estrogens, 117
- release, liver, intestine, rat, orotic acid, 35
- ultracentrifugation, gel electrophoresis, 35
- Lipoprotein lipase**, hydrolysis synthetic triacylglycerols, 481
- positional specificity, 481, 548
- in rat adipose tissue, 548
- Lipoprotein Lp(a)**, cholesterol, triglyceride, phospholipid content, 15
- human plasma, immunochemical assay, 15
- ultracentrifugation, gel filtration, gel electrophoresis, immunodiffusion, 15
- Lipoproteins**, effect on cellular cholesterol ester accumulation, 526
- electrophoresis of, 937
- high density, rat, chylomicrons, DDT transfer, 374
- rat plasma, oral contraceptives, α -tocopherol, 91
- serum, ethanol induced fatty liver, synthesis, release, 103
- Lipoxygenase**, peanut, assay, 302
- peanut, isolation, purification, $(\text{NH}_4)_2\text{SO}_4$, ethanol, DEAE-Sephadex, 302
- peanut, pentane, hexanal, from linoleic acid, 302
- soybean, arachidonic acid peroxide, preparation, 68
- Liquid crystals**, physical properties of natural occurring, 613
- in plants, steroid esters, 613
- Lithocholic acid**, in guinea pig cecum, intestine and feces, 731
- 7-keto, guinea pig bile, 731
- Liver**, chick embryo, phospholipids, fatty acid profile, development, 429
- chicken, microsomal desaturation of stearyl CoA, 196
- cholesterol metabolism, hypolipidemic drugs, 97
- control of cholesterol synthesis, 962
- ethanol intake, drug detoxification, 103
- ethanol metabolism, alcohol dehydrogenase, microsomal ethanol oxidizing system, 103
- fat deposition, metabolism, ethanol intake, 103
- fatty, rat, cholesterol esterification, ester hydrolysis, ethanol administration, 353
- fatty, rat, lipid accumulation, ethanol administration, 353
- hen, microsomal desaturation of stearyl CoA, 196
- human, composition of hepatoma lipids, 707
- human, diethyldiaminoethoxyhexesterol lipidosis, 235
- lipid, rat, gravimetric determination, 129
- metabolism, ethionine, sex differences, 407
- mitochondria, effect of chronic alcohol ingestion, 520
- pig, bile acids, 294
- pig, fatty acid profile, 536
- pike, unidentified fatty acids, 1004
- rabbit, stereospecific analysis of triglycerides, 201
- ratio tocopherol:PUFA, 960
- triglycerides, synthesis, concentration, fed, fasted rats, ethanol administration, 57
- Liver, rat**, alkyl and alk-1-enyl glycerolipids, 208
- cholesterol esters, α -tocopherol, oral contraceptives, 91
- effect of chronic alcohol ingestion, 899
- effect of maternal diet on lipid composition, 809
- fatty acid profile, 314
- lipoprotein release, orotic acid, 35
- lipoproteins, DDT, triglyceride, plasma clearance, 374
- lysosomes, phosphatidate phosphohydrolase, isolation, 391
- N-methyl substituted phosphatidyl ethanolamines, 81
- microsome, isolation from, 890
- NADPH oxidase, 890
- Novikoff hepatoma, fatty acid profile, linoleic acid desaturation, 360
- perfusion with bile acids, sex differences, 786
- perinatal PUFA levels in phospholipids, 809
- perinatal PUFA levels in triglycerides, 809
- phosphatides, fatty acid profile, 81
- phosphatides, TLC, 81
- phospholipid biosynthesis, effects of trypsin, 72
- sex differences in deoxycholic acid metabolism, 786
- stearyl-CoA desaturase in Morris hepatomas, 795
- sterol metabolism, 962
- weight, histopathology, dietary cyclopropene fatty acids, 314

- Lumbricus rubellus.** See Earthworms
- Lung, human, embryonic and adult, phospholipid and fatty acid content,** 827
- pig, bile acids, 294
- rat, N-methyl substituted phosphatidyl ethanolamines, 81
- rat, methylation, phosphatidyl ethanolamine, N-methyl substituted, 81
- rat, perfused, phospholipid and fatty acid biosynthesis, 63
- rat, perfusion studies, 63
- rat, phosphatides, fatty acid profile, 81
- rat, phosphatides, TLC, 81
- rat, phospholipid fatty acid distribution, 63
- rat, phospholipid fatty acid profile, 63
- ratio tocopherol:PUFA, 860
- Lupeol,** isolation and characterization in oilseeds, 173
— *P. oleracea*, leaf wax, 664
- Lycopodium,** sterol metabolism in, 582
- Lymphocytes, blood, glycosphingolipids in swine,** 651
— thymus, glycosphingolipids in swine, 651
- Lysophosphatidic acid,** lactating rat mammary gland, 229
— in mammary gland, 905
- Lysophosphatidyl choline,** acyl transferase in bovine mammary gland, 748
— in human plasma, 937
- Lysophosphatidylphenols,** stereospecific analysis of yeast glycerolipids, 679
- Lysosomes, rat liver, phosphatidate phosphohydrolase, isolation,** 391
- M**
- Malabsorption syndrome, α -tocopherol absorption,** 855
- Malkanguniol,** structure, 928
- Malonaldehyde,** linoleic acid autoxidation products, 346
— polymerized, fluorescence, decay time, polarization, pH, chelation, 328
- Malonyl CoA,** in palmitate elongation in avocado, 850
- Mammary, bovine, phosphatidyl choline biosynthesis,** 748
— mouse, fatty acid desaturation, 269
- rat, glyceride synthesis, acyl specificity, 229
- Mammary gland, bovine, lipid synthesis in,** 905
— See Bovine mammary gland
- Mammary gland, lactating, lipid synthesis in,** 905
- Manodus sexta (L.), ecdysone metabolism in,** 971
- Marine copepod, *Euchaeta japonica*,** alcohol and fatty acid profiles of wax esters, 891
— fatty acid profiles of phospholipids, 891
- fatty acid profiles of triglycerides, 891
- lipids of life stages (eggs to adults), 891
- wax ester profiles of life stages, 891
- Marine oils, hydrogenated, effect on fatty acid profile of heart,** 1032
— effect on rat heart, 1032
- Marine sponge, unusual fatty acids,** 244
- Mass spectra, of steroid olefins, 471**
- Meal-fed rat, hepatic in vitro and in vivo fatty acid synthesis,** 121
— hepatic in vivo cholesterol synthesis, 121
- Media, for growth of hepatoma cells,** 799
- Medium chain triglycerides, ethanol induced fatty liver,** 103
— perfusion with methylene blue in dogs, 781
- Melanoma, amelanotic, hamster, alkyl and alk-1-enyl glycerolipids,** 208
- Melanoma B16, mouse, alkyl and alk-1-enyl glycerolipids,** 208
- Membrane fractions, pig brain, density gradient separation,** 756
- phospholipid and fatty acid content, 756
- Membrane permeability, interaction of lipids,** 645
- Membrane structure, human erythrocytes, ghosts, lipid loss,** 49
- Membranes, of avocados plastids, fatty acid synthesis,** 850
— biological, role of sterols, 596
- effect of hibernation, 993
- in heterothermic animals, 993
- lipid depleted mitochondria, 221
- lipid and protein interactions, 645
- model of biological, 646
- phospholipid composition, 993
- role of sterols in, structure, 596
- 2-Mercaptoethanol, effect on LCAT activity,** 1018
- Mercutonium, metoxyacetoxymercuri derivatives,** 135
- Mesenchymal cells, fatty acid profile,** 541
- Mestranol.** See Contraceptives, oral
- Metabolism, bile acids, effect of dietary cholesterol,** 731
— bile acids, sex differences in rats, 786
- lipid, in cultured hepatoma cells, 141
- Metabolic acid,** in chromatography and synthesis, 833
- Metformin.** See Guanidine antidiuretics
- 24-Methyl- Δ^2 -cholestene, chromatography, mass spectrum,** 471
— identification in dry skim milk, 471
- Methyl silicone, glycerols, monoacyl, monoalkyl, mono-alkenyl, GLC,** 382
- 2-Methyl-(β -1,2,3,4-tetrahydro-1-naphthylphenoxy) propionic acid, serum cholesterol, triglycerides, atherosclerosis,** 97
- M-Methylenoethanol, dietary, incorporation in rat liver and lung phospholipids,** 81
- Methylation, rat liver, lung, phosphatidyl ethanolamine, N-methyl substituted,** 81
- Methylene blue, modification of response to MCT perfusion in dogs,** 781
- 24-Methylenocholesterol, in vegetable oil,** 921
- Methylsterols, seed fats and vegetable oils,** 173
- Mevalonate, incorporation into cholesterol,** 962
- Micelles, and absorption of α -tocopherol,** 855
- Microbial Lipolytic Enzymes, symposium, 149**
- Microcetes prolifera, unusual fatty acids of marine sponge,** 244
- Microsomal ethanol oxidizing system, ethanol intake,** 103
- Microsomes, bovine mammary, phosphatidyl choline biosynthesis,** 748
— chick liver, desaturase activity, 196
— effect of chronic alcohol ingestion, 899
— gangliosides in rat brain, 641
— isolation from mammary gland, 905
— liver conversion of squalene to sterols, 962
— liver, structure, function, ethanol intake, 103
— metabolism of sterol esters in, 613
— mouse mammary, fatty acid desaturation, 269
— peroxidized, fluorescence, decay time, polarization, pH, chelation, 328
— rat lipid peroxidation, 899
— rat liver, codeine demethylase, dietary cyclopropene fatty acids, 314
— rat, liver, sterol metabolism, 962
— role in mucosal absorption of mono- and diglycerides, 940
— role in synthesis of milk lipids, 876
— swine aorta, esterification, short chain alcohols, palmitate, 86
- Milk, lipid analysis by TLC,** 876
— lipid synthesis, 905
— of rabbits, lipid, protein composition, 495
— steroid olefins in, 471
- Milk, bovine, synthesis of phospholipids,** 748
— triglyceride analysis, 713
- Milk, goat, fatty acid desaturation,** 876
— triglyceride biosynthesis, 576
- Milk, human, triglyceride analysis,** 713
- Milk, monkey, fatty acid profile in various species,** 675
— triglyceride analysis, 713
- Milk, rat, effect of maternal diet,** 1030
— fatty acid profile, 1030
— glyceride synthesis, acyl group specificity, 229
— phospholipid fatty acids, 1030
— triglycerides, 1030
- Milk fat, extraction of oxofatty acids from,** 883
— oxofatty acids in, 883
— positional isomer of oxofatty acids, 883
— transmethylation, 883
- Milk lipids, effect of exogenous fatty acids on synthesis,** 876
— rate of synthesis in goat, 876
- Minerals, dietary, ethanol induced fatty liver,** 103
- Minimal deviation hepatoma, triglyceride and phospholipid biosynthesis,** 141
— See Hepatoma cells
- Minipigs, cholesterol and bile acid turnover,** 717
- Mitochondria, brain, fatty acid metabolism,** 957
— brain, phospholipid fatty acids, 957
— effects of chronic ethanol ingestion, 520
— gangliosides in rat brain, 641
— heart, liver, lipid metabolism, 520
— liver, structure, function, ethanol intake, 103
— metabolism of sterol esters in, 613
— peroxidized, fluorescence, decay time, polarization, pH, chelation, 328
— rabbit heart, glycerophosphate acyl transferase, specificity, 391
— rabbit heart, monoacylglycerol-3-phosphate, synthesis, specificity, 391
— rat liver, swelling, dietary cyclopropene fatty acids, 314
— swine aorta, esterification, short chain alcohols, palmitate, 86
- Mold, lipase, *G. candidum*,** 149
— lipase, *R. arrhizus*, 166
- Molecular structure, lecithin analogs, phospholipase C inhibition,** 77
- Molluse, *Helix pomatia* L., phospholipids and neutral lipids,** 798
- Monkey milk, fatty acid profile in various species,** 675
— triglyceride analysis, various species, 713
- Monoacyl-sn-glycerol-3-phosphate, hydrolysis, phosphatidate phosphohydrolase,** 391

- isolation, TLC-boric acid, structural proof, 391
 — rabbit heart mitochondria, synthesis, specificity, 391
Monoacylglycerols, homologues, isomers, acetates, silyl ethers, GLC, 382
Monoalkenylglycerols, monoalkenylglycerols, acetates, steryl adipate, 669
 — preparation, plasmalogens, LiAlH₄, 382
Monoalkylglycerols, homologues, isomers, acetates, silyl ethers, GLC, 382
Monoenoic fatty acids, location of double bonds, 185
Monoglycerides, absorption in rat, 940
 — effect on solubility of α -tocopherol and absorption, 855
 — in human plasma, 937
 — preparation of, 855
 — synthesis in goat milk, 876
 — See *Glycerols, monoacyl*
2-Monoglycerides, acylation in intestine, 940
 2,4,6,8,12 or 14 **Monomethylhexadecanoic acid**, ovine adipose, 669
 2,4,6,8,10 or 12 **Monomethyltetradecanoic acid**, ovine adipose, 669
Morris hepatoma 5123C, fatty acid synthetase activity, 795
 — stearoyl-CoA desaturase activity, 795
Morris hepatoma 7800, fatty acid synthetase activity, 795
 — stearoyl-CoA desaturase activity, 795
Mortality rates, statistics, 217, 218
Mosquitos, cells, culture of, 1009
 — cultured cells, fatty acid profile, 1009
 — cultured cells, sphingolipids, 1009
 — fatty acid profile, 1009
 — lipid analysis, 1009
 — lipid extraction, cultured cells, 1009
 — phospholipids, 1009
 — sphingolipid fatty acid profile, 1009
Moss, acetyl fatty acids in, 506
 — lipid composition, 506
 — lipid extraction, 506
Mouse, hairless, actinic skin tumors, 292
 — incorporation of acetate into actinic tumors, 292
 — mammary, fatty acid desaturation, 269
 — melanoma B16, alkyl and alk-1-enyl glycerolipids, 208
 — Sarcoma T241, alkyl and alk-1-enyl glycerolipids, 208
 — skin, incorporation of acetate into actinic tumor lipids, 292
Mouse brain, effect of EFA deficiency, 450
Mouse tumors, fatty acids of sphingomyelin, 830
Mucor rouxii, effect of age on fatty acids, 952
 — effect of growth temperatures on fatty acids, 952
 — effect of oxygen levels on lipids, 285
 — fatty acid profile, 952
 — lipids of phycomyces, 285
 α -Muricholic acid, metabolism in rat, 844
 β -Muricholic acid, metabolism in rat, 844
Muscle, heart, ground squirrel, hibernating, 993
 — heart, phospholipid composition, 993
 — ratio tocopherol:PUFA, 860
Mushrooms, keto acids, metabolism, 943
Myelin, fatty acid composition, 450
 — mouse brain, effect of EFA deficiency, 450
 — pig brain, phospholipid and fatty acid composition, 756
Myocardium, fatty acid profile, rat, 1032
Myristic acid, deuterium of, 913
Myristoleic acid, in *M. rouxii*, 285
Myxomycota, sterol metabolism in, 582
- N**
- NADPH oxidase, in rat liver, 899
Nauplii, *Euchaeta japonica*, wax ester profiles, 891
Nervis virens, lipase activity in, 1036
Nerve endings, pig brain, phospholipid and fatty acid composition, 756
Neurons, rabbit cortex, synthesis of ethanolamine plasmalogens, 738
 — rat brain, isolation, phospholipid synthesis, 72
Neutral lipids, in barley, 561
 — of bovine thyroid, 870
 — in dogfish serum, 498
 — hepatoma cells, 979
 — in hepatoma culture media, 979
 — metabolism in dogfish, 498
 — separation by 1-dimensional TLC, 493
 — spin-labeling, 726
Nicotinamide adenine dinucleotide phosphate, reduced form. See NADPH
Nicotinamide derivatives, serum cholesterol, triglycerides, atherosclerosis, 97
Nicotinic acid, sodium, lipolysis, ascites cells, 338
 2,4-Nitrophenylhydrazones, of oxofatty acids, 883
Nitroxyl derivatives, spin-labeled sterol esters, 726
 — spin-labeled triglycerides, 726
- Nitzschia alba**, lipids of a nonphotosynthetic diatom, 279
Nitzschia closterium, effect of light on lipids of, 1000
 — fatty acid profile, 1000
 — lipid composition, 1000
 — phospholipids, 1000
 — sterol content, 1000
Nonanal-9-oic acid, metabolism, 512
 — in phospholipide, 512
 — in plasma and red cells, 512
 — synthesis, 512
Norepinephrine, lipolysis, ascites cells, 338
Norethindrone. See Contraceptives, oral
Norethynodrel. See Contraceptives, oral
- O**
- Obtusifoliol**, isolation and characterization in oil seeds, 173
Octadec-9-enamide, mass spectra, 443
Octadec-9-ene-1,18-dioic acid, in potato suberin, 682
N-Octadec-9-enoylhexamethyleneimine, mass spectra, 443
cis-9-Octadec-12-ynoic acid, in oilseeds, 640
cis-9,-12 Octadecadienoic acid, oxidation *in vitro*, 916
9,12,15-Octadecatrien-6-ynoic acid, in moss, 506
 — a new acetylenic acid, 506
Octadecenoates, epoxy, cleavage with periodic acid, 272
cis-9-Octadecenoic acid, in cultured hepatoma cells, 987
 (1-¹⁴C)-trans-11-Octadecenoic acid, biosynthesis, 876
Octadecenoic acids, location of double bonds in monoenoes, 185
Oilseeds, alfalfa, sterols, methylsterols and triterpene alcohols, 173
 — camellia, sterols, methylsterols and triterpene alcohols, 173
Celastrus orbiculatus fatty acid profile, 928
 — garden balsam, sterols, methylsterols and triterpene alcohols, 173
 — safflower, sterols, methylsterols and triterpene alcohols, 173
Saussurea candicans, crepenyric acid in, 640
 — spinach, sterols, methylsterols and triterpene alcohols, 173
 — tea seed, sterols, methylsterols and triterpene alcohols, 173
 — triglycerides, countercurrent fractionation, 928
Olefins, steroid in milk, 471
Oleic acid, in cultured hepatoma cells, 987
 — excessive ingestion, effect on snail lipids, 798
 — mass spectra, 443
 — metabolism in blood, 512
 — synthesis in avocado, 850
 — α -tocopherol absorption, 855
 — ultraviolet spectra, 916
³H-Oleic acid, incorporation, triglycerides, fed, fasted rats, ethanol administration, 57
Oleyl-CoA, phosphatidyl choline biosynthesis, 748
 — from stearyl CoA, 196
Olive oil, dietary, rats, cold stress, mortality, 365
Oocyte, toad, lipid composition, fatty acid profile, phospholipid synthesis, 27
Orotic acid, lipoprotein release, liver, rat, 35
OV-1. See Methyl silicone
Oxidation, cholesterol, hypolipidemic drugs, atherosclerosis, 97
Oxofatty acids. See Fatty acid, oxo
Oxygen, *E. coli* culture, fatty alcohols, fatty acids, hydrocarbons, 322
 — molecular, in oxidation of unsaturated fatty acids, 916
Oxygen levels, effects on *M. rouxii* lipids, 285
Oxygenation, reversible, of free fatty acids, 918
Ozonides, effect on LCAT activity, 1018
Ozonolysis, reductive, sponge fatty acids, 244
- P**
- ³²P, incorporation, developing toad lipids, 27
Palladium, catalyst for deuteration of saturated fatty acids, 913
Palmitate elongase, in avocado, 850
Palmitic acid, esterification by mammary gland, 876
 — esterification, short chain alcohols, swine aorta, 86
 — synthesis in avocado, 850
¹⁻¹⁴C-Palmitic acid, incorporation into lipids in cell culture, 141
Palmitoleic acid, in *L. casei*, 135
 — in *M. rouxii*, 285
Palmitoyl CoA, esterification, short chain alcohols, swine aorta, 86
Palmitoyl-CoA, phosphatidyl choline biosynthesis, 748
Palmitoyl-CoA: L- α -glycerophosphate acyltransferase, properties of, preparation of, 905
¹⁻¹⁴C Palmitoyl-coenzyme A, in acylation of monopalmitin, 940
 rac-[1-¹⁴C]-Palmitoyl-2,3-dioleoylglycerol, in dogfish serum

- after incubation, 975
rac-Palmityl-2,3-[9,10- H]-dioleoylglycerol, in dogfish serum after incubation, 975
Pancreas, pig, bile acids, 294
Pancreatic juice, rat, collection, 765
Pancreatic lipase, hydrolysis of synthetic triacylglycerols, 481
— stereospecific analysis of yeast glycerolipids, 679
Parkeol, isolation and characterization in oilseed, 173
Peanut lipoxygenase, assay, 302
— isolation, purification, $(NH_4)_2SO_4$, ethanol, DEAE-Sephadex, 302
— pentane, hexanal, from linoleic acid, 302
Peanut oil, effect on rat heart fatty acids, 1032
Pentane, from linoleic acid, peanut lipoxygenase, GLC, 302
Perdeuterio-fatty acids, preparation of, 913
Perfusion, MCT and methylene blue in dogs, 781
Perfusion techniques, rat lung, phospholipid and fatty acid biosynthesis, 63
Periodate, cleavage of epoxyoctadecenoates, 272
Permeability, membrane, interaction of lipids, 645
Peroxide, arachidonic acid, preparation, lipoxygenase, 68
Peroxide assay, linoleic acid autoxidation products, 346
Peroxides, lipid, human platelet aggregation, 68
Peroxidized lipids, fluorescence, decay time, polarization, 328
Persea americana, fatty acid biosynthesis, 850
Petroselinic acid, mass spectra of pyrrolidones, 185
pH, effect on extraction of dihydroxyacetone phosphate, 502
— fluorescence of peroxidized lipids, tissues, 328
— lipolysis, ascites cells, 338
Phaeophytin, sterol metabolism in, 582
Phaseolus vulgaris, steroid metabolism in etioplasts, 613
— steroid metabolism in microsomes, mitochondria, 613
Phenobarbital, effect on bile acid metabolism, 844
Phenoformin. See Guanidine antidiuretics
PHLA, oral contraceptives, progestins, estrogens, 117
Phosphatidate phosphohydrolase, hydrolysis, monoacylglycerol-3-phosphate, 391
— liver lysosomes, preparation, 391
Phosphatides, rat liver, lung, dietary N-methylaminoethanol, 81
— rat liver, lung, fatty acid profiles, TLC, 81
Phosphatidic acid, in the dermatophyte *A. uncinatum*, 264
— lactating rat mammary gland, 229
— synthesis in mammary gland, 905
— in thyroid, 870
— TLC, detection, assay, 905
Phosphatidyl choline, biliary, absorption by intestinal mucosa, 765
— biliary, enterohepatic circulation, 765
— biliary, stability to enzymatic hydrolysis, 765
— biosynthesis by bovine mammary microsomes, 748
— in the dermatophyte *A. uncinatum*, 264
— effect on solubility of α -tocopherol and absorption, 855
— emulsifier lipoprotein lipase hydrolysis, 481
— extraction, diethyl ether, 221
— extraction, effect of proteins, 221
— extraction, effect of salts, 221
— fatty acid metabolism in hepatoma, 987
— metabolism in cultured hepatoma cells, 141
— stereospecific analysis, *L. lipoferus*, 679
— in thyroid, 870
Phosphatidyl N,N-dimethylaminoethanol, methylation, rat liver, lung, 81
— rat liver, lung, fatty acid profile, 81
Phosphatidyl ethanolamine, in the dermatophyte *A. uncinatum*, 264
— fatty acid metabolism in hepatoma, 987
— metabolism in cultured hepatoma cells, 141
— plasmalogens biosynthesis by rabbit neurons, 738
— stereospecific analysis, *L. lipoferus*, 679
— in thyroid, 870
Phosphatidyl glycerol, diethylaminoethoxyhexesterol lipidoses, 235
— rabbit antisera, 692
Phosphatidyl glycerol phosphate, rabbit antisera, 692
Phosphatidyl inositol, rabbit antisera, 692
— in thyroid, 870
Phosphatidyl-N-methylaminoethanol, methylation, rat liver, lung, 81
— rat liver, lung, fatty acid profile, 81
Phosphatidyl serine, in the dermatophyte *A. uncinatum*, 264
— in thyroid, 870
Phosphinic acids, diether, lecithin analogs, phospholipase C inhibition, 77
— structure and phospholipase C inhibition, 77
Phospholipase A, cholesterol ester synthesis, rat brain, 440
— position of distribution rat lung phospholipids, 63
Phospholipase A₃, stereospecific analysis of yeast glycerolipids, 679
Phospholipase C, inhibition, lecithin phosphinic acid analogs, 77
Phospholipids, in barley, 561
— biosynthesis, perfused rat lung, 63
— biosynthesis, toad oocyte, embryo, blastula, 27
— in bovine thyroid, 870
— in chick embryo, tumor, brain, heart, liver, fatty acid profile, 429
— in *Citellus lateralis*, 993
— classes, fetal pig cerebellar membrane fractions, 756
— classes in normal embryonic and adult human lung, 827
— composition of rat heart, 541
— in copepods, 891
— in cultured myocardial cells, 541
— in dogfish serum, 498
— in eight varieties of barley, 804
— erythrocytes, ghosts, loss in aqueous solution, 49
— exchange of plasma and erythrocyte phospholipids, 214
— extraction, diethyl ether, effect of proteins, effect of proteins, effect of salts, 221
— fatty acid distribution, phospholipase A hydrolysis, 63
— fatty acid elongation in brain mitochondria, 957
— fatty acid profile, fish testes, liver, 1004
— fatty acids in hepatoma, 987
— in fetal calf serum, 541
— function, 993
— in heart muscle, 993
— in hepatoma cells, 526
— in hibernating ground squirrels, 993
— in human plasma, 937
— human plasma lipoprotein Lp(a), 15
— incorporation of nonanal-9-oic acid into, 512
— in mammary gland, 905
— and membrane fluidity, 993
— in membranes, 993
— metabolism in hepatoma, 987
— metabolism in rat brain mitochondria, 957
— in milk, 1030
— of mosquitoes, 1009
— mouse brain, fatty acid composition, 450
— of *Nitzschia closterium*, 1000
— perfused rat lung, fatty acid distribution, 63
— perinatal PUFA levels in rat liver, 809
— phosphorus analysis, 491
— in rabbit milk, 495
— rat brain, liver, biosynthesis, effects of trypsin, 72
— rat brain, metabolism, 514
— rat heart, effect of erucic acid, 771
— rat lung, fatty acid profile, 63
— in rat milk, 1030
— role in membrane interactions, 645
— soybean Asolectin, 221
— synthesis in cultured hepatoma cells, 141
— synthesis in goat milk, 876
— temperature changes and function, 993
Phosphonic acids, lecithin analogs, phospholipase C inhibition, 77
Phosphorus, analytical method for, 491
— new reagent for analysis of, 491
Phycomycetes, lipids of *M. rouxi*, 285
— sterols, 575
Phylogenetics, role of sterols, 596
Phylogeny, plant, value of sterol biosynthetic mechanisms, 582
Phytane, in a nonphotosynthetic diatom, 279
Phytanic acid, earthworm neutral lipids, 825
Phytoplankton, dietary, source of neutral lipid polyunsaturated fatty acids, 891
Phytosterols, biosynthesis of the side chain, 582
— Mexican bean beetle, 752
— symposium, 567
Pig, carcass, fatty acid profile, 536
— erythrocytes, exchange of plasma and erythrocyte phospholipids, 214
— guinea, effect of dietary cholesterol on bile acid metabolism, 731
— heart, bile acids, 294
— kidney, bile acids, 294
— liver, ash content, 536
— liver, bile acids, 294
— liver, fatty acid profile, 536
— liver, protein content, 536
— liver, water content, 536
— pancreas, bile acids, 294
— plasma lipids, exchange of plasma and erythrocyte phospholipids, 214
— renal interstitial cells, lipid droplets, 835
— spleen, bile acids, 294
Pigs, miniature, cholesterol and bile acid turnover, 717

- effect of age on fatty acids, 536
 — effect of diet on fatty acids, 536
 — effect of sex on fatty acids, 536
 fatty acid profile, liver, carcass, 536
 growth, effect of diet, 536
- Pike**, fatty acid profile, 1004
 — liver, unidentified fatty acids, 1004
 — testes, unidentified fatty acids, 1004
- Plant**, barley, *Hordeum vulgare* L., lipid content of 8 varieties, 804
Ginkgo biloba, biosynthesis of anacardic acids, 722
Portulaca oleracea, leaf wax, 664
- Plant genetics**, lipid content of 8 varieties of barley, 804
- Plant sterols**, biochemistry, metabolism, 626
 — function, 626
 — a review, 626
- Plant sterols**, biosynthesis, 582, 613
- Plasma, human**, lipoprotein assay, lipid content, 15
 — nonanal-9-oic acid metabolism, 512
 — stereospecific analysis of triglycerides, 937
 — triglycerides, sterospecific distribution of fatty acids, 937
- Plasma, rabbit**, cholesterol content, 495
- Plasma, rat**, cholesterol esters, α -tocopherol, oral contraceptives, 91
 — lipoprotein clearance, 35
 — lipoprotein release, intestine, liver, orotic acid, 35
 — lipoproteins, DDT clearance, triglyceride clearance, 374
 — lipoproteins, α -tocopherol, oral contraceptives, 91
 — nonanal-9-oic acid metabolism, 512
 — triglyceride release, intestine, liver, orotic acid, 35
- Plasma lipids**, porcine, exchange of plasma and erythrocyte phospholipids, 214
 — rabbit, stereospecific analysis of triglycerides, 201
 separation by TLC, 493
- Plasmalogen**, phosphatidyl ethanolamine, synthesis by rabbit neurons, 738
- Plasmalogens**, in bovine thyroid, 870
 method for quantification, 208
 — monoalkenylglycerols, LIAIH, reduction, 382
 — in rat heart, liver, testes, brain and tumors, 208
 role in membrane interactions, 645
- Plastids**, of avocado, fatty acid biosynthesis, 850
- Platelets, human**, aggregation, Ca ion requirement, 68
 — determination of, 68
 — inhibition by prostaglandins, adenosine, 68
 — *in vitro*, peroxidized arachidonic acid, 68
- Polar Lipids**, effect on solubility of α -tocopherol and absorption, 855
- Polarization**, fluorescence, peroxidized lipids, 328
- Polyketide**, in anacardic acid synthesis, 722
- Polymers**, linolenic acid autoxidation products, 346
- Polypeptide**, rat bile, association with phosphatidyl choline, 765
- Postheparin lipoprotein lipase**, ethanol intake, 103
- Potato**, skin (suberin) composition, 682
- Preen gland, chicken**, effect of age on diester waxes, 290
- Pregnane**, in plants, 626
- Pristane**, in a nonphotosynthetic diatom, 279
- Pristane acid**, earthworm neutral lipids, 825
- Progesterone**, in plants, 626
- Progesterins**, plasma triglycerides, cholesterol, lipid metabolism, PHLA, 117
- Propionate**, metabolism in barbey-fed lambs, 669
- Prostaglandin E₁**, lipid metabolism, epididymal fat cells, EPA deficiency, 1
 — lipolysis, adipose cells, 338
- Prostaglandins**, inhibition of platelet aggregation, 68
 — rat testis, isolation, chromatography, UV assay, 397
- Protein-bound palmitate**, preparation of, 860
- Proteins**, bound to gangliosides, 641
 — dietary, ethanol induced fatty liver, 103
 — in rabbit milk, 495
 — role in membrane interactions, 645
- Psilophyton**, sterol metabolism in, 582
- Psychosine**, preparation from cerebroside, 358
- Pteridospermophytol**, sterol metabolism in, 582
- Pterophytyol**, sterol metabolism in, 582
- Pulmonate snail**, effect of excessive oleic acid intake, 798
- Pumpkin seeds**, sterol composition, 921
- Pyridinol carbamate**, serum cholesterol, triglycerides, atherosclerosis, 97
- Pyrrolidinides**, fragmentation patterns, 185
 — location of double bond in monoenes, 185
 — mass spectra, 186, 443
 — preparation, 185
- Pyruvate, plasma**, after MCT and methylene blue perfusion in dogs, 781
- Q**
- Quingestinol acetate**. See Contraceptives, oral
- Rabbit**, adipose, stereospecific analysis of triglycerides, 201
 — antibodies, antiphospholipid, 692
 — antisera, anticardiolipin, 692
 — antisera, antiphosphatidylinositol, 692
 — brain cortex, ethanolamine plasmalogen biosynthesis, 738
 — cholesterol in milk, 495
 — effect of milk lipids to dietary cholesterol, 495
 — glia, ethanolamine plasmalogen biosynthesis, 738
 — liver, stereospecific analysis of triglycerides, 201
 — milk analysis, 495
 — neurons, ethanolamine plasmalogen biosynthesis, 738
 — offspring and milk cholesterol, 495
 — phospholipid in milk, 495
 — plasma, cholesterol content, 495
 — plasma lipids, stereospecific analysis of triglycerides, 201
 — protein in milk, 495
 — renal interstitial cells, lipid droplets, 835
 — response to dietary cholesterol, 495
 — serum, effect on hepatoma cells in culture, 526
- Rapeseed oil**, dietary, canbra, rats, cardiac fatty acids, histopathology, cold stress, mortality, 365
 — effect on rat heart cardiolipin, 771
- Rat**, adrenal, cholesterol level, 191
 — adrenal, corticosteroid synthesis, 191
 — alcohol dehydrogenase, 899
 — alcohol metabolism, 899
 — bile acid metabolism, 844, 1024
 — chronic alcohol ingestion, 899
 — coprostanol formation, 1024
 — 7-dehydroxylation of bile acids, 1024
 — diet, effect on cholesterol metabolism, 962
 — effect of chronic alcohol ingestion on acyl-CoA, 520
 — excretion of bile acid metabolites, 1024
 — fasted, liver triglyceride synthesis, ethanol administration, 57
 — fecal lipids, analysis, 1024
 — fed, liver triglyceride synthesis, ethanol administration, 57
 — fetus, hepatic phospholipid PUFA levels, 809
 — fetus, hepatic triglyceride PUFA levels, 809
 — food intake on supplemented and normal diets, 1024
 — growth, organ weight, dietary cyclopropene fatty acids, 314
 — hepatic microsomes, 899
 — hepatoma cells, lipid metabolism, composition, 526
 — *in vivo* bile acid metabolism, 844
 — lipid metabolism, 899
 — lipid peroxidation, 899
 — mammary, glyceride synthesis, acyl group specificity, 229
 — meal-fed, (-)-hydroxycitrate citrate and appetite, food consumption, weight, lipid accumulation, 129
 — mitochondria, effect of chronic alcohol ingestion, 520
 — mono- and diglyceride absorption in, 940
 — phenobarbital effect on bile acids, 844
 — plasma, nonanal-9-oic acid metabolism, 512
 — red blood cells, nonanal-9-oic acid metabolism, 512
 — renal interstitial cells, lipid droplets, 835
 — renal papillary triglycerides, fatty acid profile, effect of diet, 835
 — sterol metabolism in liver, 962
 — testes, alkyl and alk-1-enyl glycerolipids, 208
 — vitamin E, polyunsaturated fatty acids, 860
- Rat, brain**, alkyl and alk-1-enyl glycerolipids, 208
 — gangliosides, 641
 — incorporation of fatty acids, 248
 — fatty acid profile, 957
 — lipid synthesis, effect of cAMP, 514
 — metabolism of fatty acids, 248
 — metabolism of phospholipids fatty acids, 957
 — phospholipids, metabolism, 514
 — preparation of ³⁵S-olefinate, 868
 — synthesis of ethanolamine plasmalogens, 738
- Rat, heart**, alkyl and alk-1-enyl glycerolipids, 208
 — cultured myocardial cells, lipid composition, 541
 — effect of erucic acid on mitochondrial cardiolipin, 771
 — fatty acid profile, 541, 1032
 — myocardial alterations after oil feeding, 1032
 — phospholipid composition, 541
- Rat, liver**, alkyl and alk-1-enyl glycerolipids, 208
 — developing, cholesterol synthesis in, 962
 — effect of chronic alcohol ingestion, 899
 — effect of maternal diet on lipid composition, 809
 — fatty acid synthetase in Morris hepatomas, 795
 — microsomes, isolation from, 899
 — NADPH oxidase, 899
 — perfusion with bile acids, sex differences, 786
 — perinatal PUFA levels in phospholipids, 809
 — perinatal PUFA levels in triglycerides, 809
 — sex differences in deoxycholic acid metabolism, 786

- sterol metabolism, 962
 — stearoyl-CoA desaturase in Morris hepatomas, 796
Rat adipose tissue, acetone ether fractionation, 548
 — lipoprotein lipase, 548
Rat bile, collection, 765
 — polypeptide-phosphatidyl choline association, 765
Rat intestine, biliary origin of phospholipids in lumen, 765
Rat milk, effect of maternal diet, 1030
 — fatty acid profile, 1030
 — glyceride synthesis, acyl group specificity, 229
 — phospholipid fatty acids, 1030
 — triglycerides, 1030
Rat pancreatic juice, collection, 765
Rat serum, LCAT activity, 1018
Rat tumors, fatty acids of sphingomyelin, 830
Red blood cells, effect of vitamin E deficiency in rats, 1018
 — human, nonanal-9-oic acid metabolism, 512
 — rat, nonanal-9-oic acid metabolism, 512
Reduction, LiAlH₄, plasmalogens, monoalkenylglycerols, 382
Renal papillae, analyses of lipid droplets, 835
Respiration, actinic skin tumors, mouse, 292
Retention data, GLC, glycerols, monoacyl, monoalkyl, monoaiknyl, acetates, silyl ethers, 382
Rhizopus arrhizus, lipase, 166
Rhodophyta, sterol metabolism in, 582
Rumen, ovine, production of branched fatty acids, 669
- S**
- Safflower oil**, absorption in rat intestine, 940
Salad oil, *cis* and *trans* double bond location, 272
Salicylic acids, 6-alkyl, biosynthesis from acetate by *G. biloba*, 722
Saponins, biochemistry, metabolism, 626
Sarcoma T241, mouse, alkyl and alk-1-enyl glycerolipids, 208
Saussurea candicans, seed oil, fatty acids, 640
 — source of crepenyric acid, 640
Sebaceous glands, hamster flank organ, acetate, lipid synthesis, 43
 — lipids, TLC, autoradiography, hamster flank organ, 43
³-¹⁴C-DL-Serine, in brain lipid metabolism, 514
Serum, effect on cellular cholesterol ester accumulation, 526
Serum, dogfish, ether linked glycerolipids in, 975
 — glycerolipids, 498
 — incubation technique, 975
 — lipid composition, 498
 — lipid metabolism, 975
Serum, rabbit, effect on hepatoma cells in culture, 526
Serum, rat, effect on cellular cholestryler ester accumulation, 526
 — LCAT activity, 1018
Serum cholesterol, effect of drugs, 97
Serum lecithin:cholesterol acyltransferase. See LCAT
Serum lipids, kinetics of [¹⁴C]alanine and [³H] water incorporation, 121
Serum triglycerides, effect of drugs, 97
Sesquiterpene, alcohols in *Celastrus orbiculatus*, 928
 — esters in *Celastrus orbiculatus*, 928
Sex, rat bile acids, dietary ethionine, 407
Sex hormones, in plants, 626
Shea fat, sterols, methylsterols and triterpene alcohols, 173
Shikimic acid, in anacardic acid synthesis, 722
Shortening, *cis* and *trans* double bond location, 272
Silar SCP. See Cyanopropylphenylsiloxane
¹⁷Sitostene, chromatography, mass spectrum, 471
¹⁷Sitosterol, in plant seeds, 921
¹⁷Sitosterol, dietary, and 7-dehydroxylation of bile acids, 1024
 — effect on bile acid metabolism, 1024
 — and formation of coprostanol from bile acids, 1024
Sitosteryl, metabolism in *Phaseolus vulgaris*, 613
Sitosteryl palmitate, metabolism in *Phaseolus vulgaris*, 613
Skeletal muscle, pig, bile acids, 294
Skin, milk, occurrence of steroid olefins, 471
Skin, mouse, incorporation of acetate into actinic tumor lipids, 292
Snail, Roman, *Helix pomatia* L., effect of excessive oleic acid intake, 798
Snake, Florida Indigo (*Drymarchon corais*), lipid composition, 8
Sodium bicarbonate, impregnating agent for TLC layers, 493
Sodium taurocholate, in micelle formation, 855
- Solvent systems**, for TLC of plasma lipids, 493
Soybean, Asolectin, 221
Soybean oil, content of α -tocopherol, γ -tocopherol, 860
Spectra, infrared, of acetotriglycerides, 928
 — acyl phosphatidylglycerol, 235
 — bis-(monoacylglycerol) phosphate, 235
 — fatty acid, tricarboxylic, methyl branched, tick eggs, 368
 — homolytic decomposition products of linoleic hydroperoxide, 696
 — methyl ketones, snake skin, 8
 — of 9,12,15-octadecatrien-6-yonic acid, 506
 — spin-labeled neutral lipids, 726
 — unusual sponge fatty acids, 244
 — of vegetable oil sterols, 921
Spectra, mass, β -amyrin from shea fat, 173
 — β -amyrin from tea seed oil, 173
 — bile acid methyl esters, trifluoroacetates, 945
 — branched chain fatty acids, 669
 — brassicasterol, 279
 — butyrospermol from tea seed oil, 173
 — cycloartenol and 24-methylenecycloartenol, 173
 — of deuterated fatty acids, 913
 — 24-dihydroperpaeol, 173
 — dimethyl octadec-9-ene-1,18-dioate, 682
 — di-trimethylsilyl derivatives of diols, 285
 — for double bond location, 135
 — fatty acid, tricarboxylic, methyl branched, tick eggs, 368
 — fatty acid amides, 443
 — fragmentation patterns, methoxylated esters, 135
 — of fungal sterols, 575
 — GLC, alcohol oxidation products, snake skin, 8
 — hepta-TMS-glycerylphosphorylglycerylphosphorylglycerol, 771
 — isoprenoid fatty acids from earthworms, 825
 — isopropyl-2-methylbutanoate, 461
 — isopropyl-3-methylbutanoate, 461
 — isopropylpentanoate, 461
 — key fragments in pyridolides of 18:1 Δ^4 to Δ^{17} , 185
 — location of double bond in monoenes, 185
 — lupeol, 173
 — methoxylated esters from methyl linoleate, 135
 — methoxylated esters from methyl oleate, 135
 — methoxylated fatty acid esters, 135
 — methyl 8,16-dihydroxy (diTMS) hexadecanoate, 682
 — methyl dihydroxy ethoxy *trans* octadecenoates, 696
 — methyl epoxy hydroxy *trans* octadecenoates, 696
 — methyl erucate, 771
 — methyl 9-hydroxy (TMS) 10,18-dimethoxy-octadecanoate, 682
 — methyl 18-hydroxy (TMS) octadec-9-enoate, 682
 — methyl ketones, snake skin, 8
 — methyl 9-methoxy-10,18-hydroxy (diTMS) octadecanoate, 682
 — methyl 9-methoxy-18-hydroxy (TMS) octadecanoate, 682
 — methyl octadec-6-enoate, 185
 — methyl octadec-11-enoate, 185
 — methyl, oxo hydroxy *trans* octadecenoates, 696
 — methyl 9,10,18-trihydroxy (triTMS) octadecanoate, 682
 — N-octadec-6-enoylpyrrolidine, 185
 — N-octadec-9-enoylpyrrolidine, 185
 — N-octadec-11-enoylpyrrolidine, 185
 — of 9,12,15-octadecatrien-6-yonic acid, 506
 — parkanol from shea fat, 173
 — 1,1,10,18,19-pentadecatetra-1,9,18-trihydroxy (triTMS) octadecane, 682
 — pilot whale, head oil lipids, 461
 — plant sterols, 173
 — pyrrolidides, 185
 — α -spinasterol from tea seed oil, 173
 — Δ^7 -stigmastenol from tea seed oil, 173
 — triterpene alcohols, 173
 — unidentified fatty acids from pike, 1004
 — unsaturated fatty acids, 443
 — of vegetable oil sterols, 921
Spectra, nuclear magnetic resonance, of acetotriglyceride, 928
 — deuterated fatty acids, 913
 — dihydroxy ethoxy *trans* octadecenoic acids, 696
 — methoxylated esters, 135
 — methyl ketones, snake skin, 8
 — oiled lipid content, 304
 — unusual sponge fatty acids, 244
 — of vegetable oil sterols, 921
Spectra, raman, of 9,12,15-octadecatrien-6-yonic acid, 506
Spectra, ultraviolet, of acetotriglycerides, 928
 — homolytic decomposition products of linoleic hydroperoxides, 696
 — of linoleic acid, 916
 — of linolenic acid, 916
 — of 9,12,15-octadecatrien-6-yonic acid, 506
 — of oleic acid, 916
 — prostaglandin assay, 397
 — spin-labeled neutral lipids, 726

- Sphingolipids**, analysis, 1009
 — cultured cells from mosquitos, 1009
 — effect of growth phase on fatty acid composition in cultured cells, 1009
 — fatty acid profile, 1009
 — of mosquito, *Aedes* and *Culex*, 1009
 — of mosquitos, analysis, 1009
 — rat ganglion, assay, 307
 — role in membrane interactions, 645
 in *Tetrahymena pyriformis*, 554
- Sphingomyelin**, from cultured mosquito cells, 1009
 — effect of growth phase on fatty acid composition in cultured cells, 1009
 — fatty acid profile, mosquito, 1009
 — of mosquitos, 1009
 — tetracosa-15,18-dienoic acid in tumors, 830
 in thyroid, 870
- Spin-label**, 4',4'-dimethyloxazolidine-N-oxyl group, 726
 — nitroxyl derivatives of sterol ester, 726
 — nitroxyl derivative of triglycerides, 726
- α -Spinasterol**, isolation and characterization in oilseeds, 173
- Spleen**, pig, bile acids, 294
 — rat, weight, dietary cyclopentene fatty acids, 314
- Sponge**, marine, unusual fatty acids, 244
- Squalene**, conversion to digonin precipitable sterols, 962
 — soybean, cottonseed, coconut, avocado and olive oils, 659
- Squalus acanthias**, ether lipids, 975
 — glycerolipid metabolism, 975
 — serum lipid composition, 498
- Staphylococcus aureus**, lipase, 158
- Starvation**, effect on liver cholesterol synthesis, 962
 — effect on wax esters and triglycerides of adult copepods, 891
- Statistics**, mortality rates, 217, 218
- Stearic acid**, desaturation in hepatoma, 489
 — synthesis in avocado, 850
- Stearyl-CoA desaturase**, Morris hepatomas 5123C and 7800, 795
 — mouse mammary microsomes, 269
- Stearyl CoA**, desaturation by chick hepatic microsomes, 196
 — hydrolysis during desaturation, 196
 — phospholipid synthesis by chick hepatic microsomes, 196
- Stereochemistry**, lecithin analogs, phospholipase C inhibition, 77
- Stereospecific analysis**, adipose triglycerides, rabbit, 201
 — cultured hepatoma cell phosphatidyl choline, 141
 — cultured hepatoma cell phosphatidyl ethanolamine, 141
 — cultured hepatoma cell triglyceride, 141
 — ethyl magnesium bromide, 201
 — liver triglycerides, rabbit, 201
 — milk triglycerides, 876
 — plasma triglycerides, rabbit, 201
R. arrhizus lipase, 166
 — snake venom phospholipase A, 201
 — yeast phosphatidyl choline, 679
 — yeast phosphatidyl ethanolamine, 679
 — yeast triglycerides, 679
- Stereospecific structure**, human plasma triglycerides, 937
- Stereospecificity**, of lipases, 481
- Steroid olefins**, characterization in dry skim milk, 471
 — synthesis, 471
- Steroids**, corticosteroid synthesis in rat adrenals, 191
 — in plants, a review, 626
- Sterol esters**, spin-labeling, 726
- Sterol profile**, from vegetable oils, 921
- Sterols**, absence in bacteria, 596
 — analysis of radioactive metabolites, 1014
 — analysis in rat feces, 1024
 — in animals, function, 596
 — biosynthesis in *Chlorella*, 567
 — chemical synthesis, 1014
 — chromatographic analysis, 1014
 — composition of algae, 567
 — content in various organisms and tissues, 596
 — corticosteroid synthesis in rat adrenals, 191
 — feces, neutral fraction composition, 1024
 — in hepatoma cells, 979
 — implications of chemical structure for biological function, 596
 — metabolism in *Chlorella*, 1014
 — metabolism in intestine, 1024
 — metabolism in rat liver, 962
 — metabolism in tissue culture cells, 526
 — in Mexican bean beetle egg, prepupa and adult, 752
 — neutral fraction of feces, 1024
 — of *Nitzschia closterium*, 1000
 — of a nonphotosynthetic diatom, 279
 — phylogenetic implications, 596
 — plant, biosynthesis, 582
 — plant, preparation and purification, 333
- plants, biosynthesis, 613
 — in plants, function, 596
 — of rat feces, 1024
 — role of esters in plants, 613
 — role in membranes, a review, 596
 — seed fat and vegetable oils, 173
 — snake skin lipids, 8
 — in soybean, cottonseed, coconut, avocado and olive oils, 659
 — TLC, IR, NMR and GC-MS, 921
- Stigmast-4-en-3-one**, *P. oleracea* leaf wax, 664
- Stigmast-5-en-3 β -ol**, in uredospores, 575
- Stigmastanol**, in Mexican bean beetle egg, prepupa and adult, 752
- Stigmastenol**, Δ^{27} , isolation and characterization in oilseeds, 173
- in plant seeds, 921
- Stigmasterol**, in plant seeds, 921
- Stress**, cold, rat, mortality, dietary docosenoic acid, rapeseed oil, cardiac lipids, 365
 — cold, rat, mortality, rapeseed oil, canola, corn oil, olive oil, herring oil, 365
- Stroma**, of avocado plastids, fatty acid synthesis, 850
- Suberin**, potato skin, composition, 682
- Sulfatide**, desalting, Sephadex G-25, 865
 — glycolipids in 8 barley varieties, 804
 — human thyroid, levels in male and female, 819
 — radioactive, preparation from rat brain, 865
- S-S-Sulfatides**, preparation from rat brain, 865
 — radioautography, 865
- Surfactant**, human lung lipids, 827
- Swine**, adult, phospholipids and fatty acids of cerebellar membrane fractions, 756
 — aorta, acyl CoA:alcohol acyl transferase activity, 86
 — aorta, esterification, cholesterol, inhibition by ethanol, 86
 — aorta, esterification, short chain alcohols, palmitate, 86
 — fetal, phospholipids and fatty acids of cerebellar membrane fractions, 756
 — glycosphingolipids of thymus, leucocytes and bone marrow, 651
 — kidney, bile acids, 294
 — liver, bile acids, 294
 — miniature, cholesterol and bile acid turnover, 717
 — skeletal muscle, bile acids, 294
- Synapses**, pig brain, phospholipid and fatty acid composition, 756
- Synaptosomes**, gangliosides in rat brain, 641
 — mouse brain, effect of EFA deficiency, 450
- Synthetase, fatty acid**, Morris hepatomas 5123C and 7800, 795

T

- Taurcholic acid, sodium salt**, dietary effect on bile acid metabolism, 1024
- Taurine**, bile acids, trout, 945
- Taurochenodeoxycholate acid, sodium salt**, dietary effect on bile acid metabolism, 1024
- Taurodeoxycholic acid**, metabolism in rats, sex differences, 786
- TBA test**, linolenic acid autoxidation products, 346
- Temperature**, lipolysis, ascites cells, 338
- Testes**, pike, unidentified fatty acids, 1004
 — rat, alkyl and alk-1-enyl glycerolipids, 208
 — rat, prostaglandins, isolation, characterization, 397
 — ratio tocopherol:PUFA, 860
- Tetraboric acid**, in chromatography and synthesis, 833
- Tetraacos-15,18-dienoic acid**, tumor sphingomyelins, 830
- Tetrahymena pyriformis**, branched fatty acids in, 554
 — fatty acid metabolism, 554
 — fatty acid profile, 554
 — polar lipids, 554
- 3,7,11,15-Tetramethylhexadecanoic acid**, earthworm neutral lipids, 825
- 2,6,10,14-Tetramethylpentadecanoic acid**, earthworm neutral lipids, 825
- Thea sinensis** L., sterols, methylsterols and triterpene alcohols, 173
- Thermogravimetric assay**, lipids, 415
- Thermophile bacteria**, fatty acid profile, 476
- Thermus aquaticus**, fatty acid profile, 476
- Thermus flavis**, fatty acid profile, 476
- Thin-layer chromatography**. See Chromatography, thin layer
- Thoracic duct**, rat, cannulation, fat, DDT absorption, 374
- Thymus, porcine**, glycosphingolipids, 651
- Thyroid**, bovine, cholesterol, 870
 — hypothyroidic, 870
 — lipid composition, 870
 — water content, 870
- Thyroid, human**, glycosphingolipid levels in male and female, 819
- Tick**, eggs, fatty acid profile, GLC, IR, MS, 368
- Tissue culture cells**, sterol metabolism, 526

- Tissue lipids**, extraction, apparatus, 938
Toad (*Bufo arenarum*), oocyte, embryo, blastula, lipid composition, fatty acid profile, 27
Tobacco, hornworm, ecdysone metabolism in, 971
 — enzyme systems for ecdysone in, 971
Tocopherol, inhibition of platelet aggregation, 68
 — content in corn, soybean oils, 860
 — content rat tissues, 860
 α -Tocopherol, absorption, 855
 — aqueous solubility, 855
 — deficiency effect on LCAT, 1018
 — effect on LCAT activity, 1018
 — effect of medium and short chain fatty acids on absorption, 855
 — micellar absorption, 855
 — oral contraceptives, plasma lipoproteins, 91
 — oral contraceptives, tissue cholesterol, 91
 — plasma, erythrocyte hemolysis, 91
 — in rat plasma, oral contraceptives, 91
 — in soybean, cottonseed, coconut, avocado and olive oils, 659
 — TLC, 855
 γ -Tocopherol, in soybean, cottonseed, coconut, avocado and olive oils, 659
 γ -Tocopherol, in soybean, cottonseed, coconut, avocado and olive oils, 659
¹⁴C- α -Tocopherol acetate, preparation of, 855
Tocopherols, total, soybean, cottonseed, coconut, avocado, olive oils, 659
Toxicity, cellular, detergent properties of deoxycholic acid, 786
Transesterification, rat ganglion lipids, 307
Transmethylation, mechanism in phytosterol biosynthesis, 582
Transport, DDT, rat thoracic duct chylomicrons, serum lipoproteins, 374
Treloxinate. See 2,10-Dichloro-12H-dibenzo[d,g]-[1,3]-dioxocin-6-carboxylic acid methyl ester
Triacylglycerols, synthesis, 498
 — synthetic, lipoproteins, 481
Triglyceride, accumulation, ethanol induced fatty liver, rat, 353
 — human plasma lipoprotein Lp(a), 15
 — hydrolysis by lipoprotein lipase of rat adipose tissue, 548
 — liver, synthesis, concentration, fed, fasted rats, ethanol administration, 57
 — medium chain, perfusion with methylene blue in dogs, 781
 — in minimal deviation hepatoma, 979
 — plasma, release, liver, intestine, rat, orotic acid, 35
 — rat thoracic duct chylomicrons, DDT, plasma clearance, 374
 — serum, hypolipidemic drugs, atherosclerosis, 97
 — stereospecific analysis, *L. tiroperus*, 679
 — synthesis in cultured hepatoma cells, 141
Triglyceride analysis, bovine milk, 713
 — human milk, 713
 — monkey milk, 713
Triglycerides, absorption from gut, 940
 — acetylenic acid in, 506
 — analysis by GLC, 481
 — annelids, 1036
 — biosynthesis in goat milk, 876
 — of *Celastrus orbiculatus*, 928
 — earthworms, lipolysis, storage, 363
 — effect of diet on absorption from gut, 940
 — effect on solubility of α -tocopherol and absorption, 855
 — fatty acid profile in renal papillae, 835
 — fatty acids, in hepatoma, 987
G. candidum lipase, 149
 — Grignard degradation, monoacylglycerols, 382
 — in head oil of pilot whale, 461
 — in hepatoma cells, 526
 — in hepatoma culture media, 979
 — of human plasma, 937
 — long chain length, tocopherol absorption, 855
 — medium chain length, tocopherol absorption, 855
 — in milk, 1030
 — in moss, 506
 — of *Nitzschia closterium*, 1000
 — oilseeds, countercurrent fractionation, 928
 — perinatal PUFA levels in rat liver, 809
 — plasma, oral contraceptives, progestins, estrogens, 117
 — in rabbit milk, 495
 — in rat milk, 1030
 — in rat serum, 1018
 — spin-labeling, 726
 — stereospecific analysis, 201, 876, 937
 — synthesis in mammary gland, 905
 — synthetic lipolysis of, 481
1,3-Triglycerides, acylation in intestine, 940
Trihexosyl ceramide, human thyroid, levels in male and female, 819
Trimethylsilyl ethers, glycerols, monoalkyl, monoacyl, monoalkenyl, preparation, GLC, 382
^{4,8,12}-Trimethyltridecanoic acid, earthworm neutral lipids, 825
Trioctanoic, and α -tocopherol absorption, 855
Triolein, and α -tocopherol absorption, 855
Triparanol, effect on sterol synthesis in algae, 567
Triphenylmethyl derivatives, glycerides, detritiation, liquid chromatography, 55
Triterpene alcohols, seed fats and vegetable oils, 173
 — in vegetable oils, 921
Triton X-100, use in extraction of gangliosides, 641
Tritylated glycerides, detritiation, liquid chromatography, silicic acid-boric acid, 55
Trout, content of bile salts in young, adult and old fish, 945
 — metabolism, of bile acids, 945
Trypsin, phospholipid biosynthesis, rat brain, liver, 72
Tuber, potato skin (sugarin) composition, 682
Tumor, actinic, hairless mouse, incorporation of acetate, 292
 — adenocarcinoma EO771, sphingomyelin fatty acids, 830
 — fibroadenoma, sphingomyelin fatty acids, 830
 — Friend virus leukemia, sphingomyelin fatty acids, 830
 — mammary KHZ, sphingomyelin fatty acids, 830
 — melanoma, sphingomyelin fatty acids, 830
 — mouse, sphingomyelin fatty acids, 830
 — phospholipids, comparison with chick embryo, 429
 — rat, sphingomyelin fatty acids, 830
 — rat liver, fatty acid profile, 360
 — rat liver, linoleic acid desaturation, 360
 — sarcoma 180, sphingomyelin fatty acids, 830
 — sarcoma T241, sphingomyelin fatty acids, 830
 — sarcoma R3259/96A, sphingomyelin fatty acids, 830
Taper liver, sphingomyelin fatty acids, 830
Walker carcinosarcoma 256, sphingomyelin fatty acids, 830
Tumor lipids, alkyl and alk-1-enyl glycerolipids, 208
Turnover, cholesterol and bile acids in swine, 717
- U**
- Ultracentrifugation**, human plasma lipoproteins, 15
 — rat plasma lipoproteins, 35
 — serum lipoproteins, rat, 374
Ultraviolet light, skin tumors in hairless mice, 292
Unsaponifiable fraction, of oilseeds, 921
Unsaturation, location of double bonds in monoenes, 185
Urdo acid, metabolism, liver, ethanol intake, 103
Uropygial gland, chicken, effect of age on alkane 2,3-diols, 290
 — chicken, effect of age on wax diesters, 290
Ursodeoxycholic acid, guinea pig bile, 731
- V**
- Vaccenic acid**, in cultured hepatoma cells, 967
 — mass spectra of pyrrolidines, 185
cis-Vaccenic acid, in *L. casei*, 135
Valeric acid derivatives, serum cholesterol, triglycerides, atherosclerosis, 97
Vegetable oils, avocado non-saponifiables, 659
 — *cis* and *trans* double bond location, 272
 — coconut oil non-saponifiables, 659
 — cottonseed oil non-saponifiables, 659
 — 4-methylsterols, 921
 — soybean oil non-saponifiables, 659
 — sterol composition, 921
 — triterpene alcohols, 921
Vein, jugular, chylomicron infusion, plasma lipid clearance, 374
Vitamin E. See α -Tocopherol
Vitamins, dietary, ethanol induced fatty liver, 103
- W**
- Washing procedures**, effect on dihydroxyacetone phosphate, 502
Water, content of bovine thyroid, 870
Wax, leaf, *P. oleracea*, 664
Wax alcohols, *P. oleracea*, 664
Wax esters, chicken uropygial gland, effect of age, 290
 — in copepods, 891
 — in dogfish serum, 498
 — in head oil of pilot whale, 461
P. oleracea, 664
Weaning, effect on cholesterol synthesis in liver, 962
Whale, Atlantic pilot, head oil lipids, 461
- X-Y-Z**
- Yeast**, *lipomyces tiroperus*, stereospecific analysis of glycerolipids, 679
Yellow sarson, lipid composition, 455

